

2004 TOWING GUIDE

NEW MODELS AND REDESIGNS LEAD THE LIST

Compiled by Joel Donaldson



FORD F-150



NISSAN TITAN



DODGE DURANGO



GMC CANYON



VW TOUAREG



TOYOTA TUNDRA DOUBLE CAB

Trailerists will have a wider variety of tow rigs this year, most significantly with the all-new Ford F-150, Dodge Durango and Nissan Titan pickup. Others completely new to the ranks include BMW's X3 compact SUV, the Nissan Pathfinder Armada full-size SUV, GM's new Canyon/Colorado compact pickup and VW's Touareg and Porsche's Cayenne mid-size SUVs. The biggest bad news is the demise of the V-10 engine in Ram HDs.

This guide lists the maximum trailer weight for a given model capable of tow-

ing at least 2,000 pounds. Where available, footnotes indicate restrictions such as transmission, axle ratio, towing packages and tire-size-imposed limits. For Ford and GM pickups, ratings for fifth-wheel trailers are given separately as they are usually higher.

However, remember these are ideal maximums, that a heavily optioned and loaded truck will tow less, based on the gross combined weight rating (gcwr). Every effort has been made to ensure accuracy, but the manufacturer's towing information, available from your dealer, always takes precedence.

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Crew Cab 4WD	3.5L I-5	4,000	d, f
Chevrolet SSR			
SSR	5.3LV-8	2,500	c, f
Equinox			
Equinox	3.4LV-6	3,500	g
Express/Savana			
G1500 CV RWD 135" WB	4.3LV-6	4,400	b, f
G1500 CV RWD 135" WB	5.3LV-8	6,600	b, f
G1500 CV RWD 135" WB	5.3LV-8	6,600	c, f
G1500 CV AWD 135" WB	5.3LV-8	6,600	b, f
G1500 CV AWD 135" WB	5.3LV-8	6,600	c, f
G1500 PV RWD 135" WB	4.3LV-6	4,000	b, f
G1500 PV RWD 135" WB	5.3LV-8	6,400	b, f
G1500 PV RWD 135" WB	5.3LV-8	6,400	c, f
G1500 PV AWD 135" WB	5.3LV-8	6,200	b, f
G1500 PV AWD 135" WB	5.3LV-8	6,200	c, f
G2500 CV RWD 135" WB	4.3LV-6	4,700	c, f
G2500 CV RWD 135" WB	4.8LV-8	6,400	c, f
G2500 CV RWD 135" WB	4.8LV-8	7,400	d, f
G2500 CV RWD 135" WB	5.3LV-8	6,600	c, f
G2500 CV RWD 135" WB	6.0LV-8	8,400	c, f
G2500 CV RWD 135" WB	6.0LV-8	10,000	d, f
G2500 CV AWD 135" WB	5.3LV-8	6,400	c, f
G2500 CV RWD 155" WB	4.3LV-6	4,500	c, f
G2500 CV RWD 155" WB	4.8LV-8	6,300	c, f
G2500 CV RWD 155" WB	4.8LV-8	7,300	d, f
G2500 CV RWD 155" WB	5.3LV-8	6,500	c, f
G2500 CV RWD 155" WB	6.0LV-8	8,200	c, f
G2500 CV RWD 155" WB	6.0LV-8	10,000	d, f
G2500 PV RWD 135" WB	6.0LV-8	7,900	c, f
G2500 PV RWD 135" WB	6.0LV-8	10,000	d, f
G2500 PV RWD 155" WB	6.0LV-8	7,500	c, f
G2500 PV RWD 155" WB	6.0LV-8	9,500	d, f
G3500 CV RWD 135" WB	6.0LV-8	8,300	c, f
G3500 CV RWD 135" WB	6.0LV-8	10,000	d, f
G3500 CV RWD 155" WB	6.0LV-8	8,100	c, f
G3500 CV RWD 155" WB	6.0LV-8	10,000	d, f
G3500 PV RWD 135" WB	6.0LV-8	7,800	c, f
G3500 PV RWD 135" WB	6.0LV-8	9,800	d, f
G3500 PV RWD 155" WB	6.0LV-8	7,400	c, f
G3500 PV RWD 155" WB	6.0LV-8	9,400	d, f
G2500 CV RWD 135" WB	6.0LV-8	7,100	c, f, i, j
G2500 CV RWD 135" WB	6.0LV-8	7,400	c, f, i, k
G2500 CV RWD 155" WB	6.0LV-8	6,900	c, f, i, j
G2500 CV RWD 155" WB	6.0LV-8	7,200	c, f, i, k
G2500 PV RWD 135" WB	6.0LV-8	6,500	c, f, i, j
G2500 PV RWD 135" WB	6.0LV-8	6,800	c, f, i, k
G3500 CV RWD 135" WB	6.0LV-8	6,900	c, f, i, j
G3500 CV RWD 135" WB	6.0LV-8	7,200	c, f, i, k
G3500 CV RWD 155" WB	6.0LV-8	6,600	c, f, i, j
G3500 CV RWD 155" WB	6.0LV-8	6,800	c, f, i, k
G3500 PV RWD 135" WB	6.0LV-8	6,400	c, f, i, j
G3500 PV RWD 135" WB	6.0LV-8	6,700	c, f, i, k
G3500 PV RWD 155" WB	6.0LV-8	6,000	c, f, i, j
G3500 PV RWD 155" WB	6.0LV-8	6,300	c, f, i, k

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Envoy XUV			
RWD	4.2L I-6	4,800	b, f
RWD	4.2L I-6	5,300	c, f
RWD	4.2L I-6	5,800	d, f
RWD	5.3LV-8	5,800	b, f
RWD	5.3LV-8	6,500	c, f
4WD	4.2L I-6	4,700	b, f
4WD	4.2L I-6	5,200	c, f
4WD	4.2L I-6	5,700	d, f
4WD	5.3LV-8	5,600	c, f
4WD	5.3LV-8	6,400	d, f

Kodiak/Top Kick Trucks — Automatic Transmission			
C4500/5500 Reg Cab Pickup Body	8.1LV-8	14,875	s
C4500/5500 Reg Cab Pickup Body	6.6L TDIV-8	14,800	s
C4500/5500 Reg Cab Pickup Body	8.1LV-8	16,875	t
C4500/5500 Reg Cab Pickup Body	6.6L TDIV-8	16,800	t
C4500/5500 Crew Cab Pickup Body	8.1LV-8	13,900	s
C4500/5500 Crew Cab Pickup Body	6.6L TDIV-8	13,820	s
C4500/5500 Crew Cab Pickup Body	8.1LV-8	15,900	t
C4500/5500 Crew Cab Pickup Body	6.6L TDIV-8	15,820	t
C4500/5500 Reg Cab Versa Hauler	8.1LV-8	14,475	s
C4500/5500 Reg Cab Versa Hauler	6.6L TDIV-8	14,400	s
C4500/5500 Reg Cab Versa Hauler	8.1LV-8	16,475	t
C4500/5500 Reg Cab Versa Hauler	6.6L TDIV-8	16,400	t
C4500/5500 Crew Cab Versa Hauler	8.1LV-8	13,500	s
C4500/5500 Crew Cab Versa Hauler	6.6L TDIV-8	13,420	s
C4500/5500 Crew Cab Versa Hauler	8.1LV-8	15,500	t
C4500/5500 Crew Cab Versa Hauler	6.6L TDIV-8	15,420	t

NOTE: Tow ratings are examples based on typical curb weights for well-equipped 128"/169" wheelbase (Reg/Crew Cab) vehicle; Pickup Body and Versa Hauler examples shown are produced by Monroe Truck Equipment.

S-10/Sonoma			
S-10/Sonoma Crew Cab 4WD	4.3LV-6	5,200	f

Sierra/Silverado — Manual Transmission — Conventional Towing			
1500 Reg Cab RWD SB	4.3LV-6	3,600	a, e
1500 Reg Cab RWD SB	4.3LV-6	4,100	b, e
1500 Reg Cab RWD SB	4.8LV-8	4,500	b, e
1500 Reg Cab RWD SB	4.8LV-8	5,500	c, e
1500 Reg Cab RWD LB	4.3LV-6	3,400	a, e
1500 Reg Cab RWD LB	4.3LV-6	3,900	b, e
1500 Reg Cab RWD LB	4.8LV-8	4,300	b, e
1500 Reg Cab RWD LB	4.8LV-8	5,300	c, e
1500 Ext Cab RWD SB	4.3LV-6	3,700	b, e
1500 Ext Cab RWD SB	4.8LV-8	4,100	b, e
1500 Ext Cab RWD SB	4.8LV-8	5,100	c, e
1500 Ext Cab RWD LB	4.8LV-8	3,900	b, e
1500 Ext Cab RWD LB	4.8LV-8	4,900	c, e
2500HD Reg Cab & Chassis RWD LB	6.0LV-8	8,800	c, e, o
2500HD Reg Cab & Chassis RWD LB	6.0LV-8	10,800	d, e, o
1500 Reg Cab 4WD SB	4.3LV-6	3,800	b, e
1500 Reg Cab 4WD SB	4.3LV-6	4,300	c, e
1500 Reg Cab 4WD SB	4.8LV-8	5,200	c, e
1500 Reg Cab 4WD SB	4.8LV-8	6,200	d, e
1500 Reg Cab 4WD LB	4.3LV-6	3,600	b, e
1500 Reg Cab 4WD LB	4.3LV-6	4,100	c, e

MODEL	ENGINE	TOW LIMIT (lb)	NOTES	MODEL	ENGINE	TOW LIMIT (lb)	NOTES
1500 Reg Cab 4WD LB	4.8L V-8	5,000	c, e	1500 Ext Cab RWD SB	5.3L V-8	7,100	b, f
1500 Reg Cab 4WD LB	4.8L V-8	6,000	d, e	1500 Ext Cab RWD SB	5.3L V-8	8,100	c, f
1500 Ext Cab 4WD SB	4.8L V-8	4,800	c, e	1500 Ext Cab RWD SB	5.3L V-8	7,700	c, f, l
1500 Ext Cab 4WD SB	4.8L V-8	5,800	d, e	1500 Ext Cab RWD SB	5.3L V-8	8,700	d, f, l
1500 Ext Cab 4WD LB	4.8L V-8	4,700	c, e	1500 Ext Cab RWD SB	5.3L V-8	6,800	b, f, h
1500 Ext Cab 4WD LB	4.8L V-8	5,700	d, e	1500 Ext Cab RWD SB	5.3L V-8	7,800	c, f, h
2500HD Ext Cab 4WD SB	6.0L V-8	8,300	c, e	1500 Ext Cab RWD LB	4.3L V-8	5,900	b, f
2500HD Ext Cab 4WD SB	6.0L V-8	10,300	d, e	1500 Ext Cab RWD LB	4.3L V-8	6,900	c, f
Sierra/Silverado — Automatic Transmission — Conventional Towing				1500 Ext Cab RWD LB	5.3L V-8	6,900	b, f
1500 Reg Cab 4WD SB	4.3L V-6	4,800	b, f	1500 Ext Cab RWD LB	5.3L V-8	7,900	c, f
1500 Reg Cab 4WD SB	4.3L V-6	5,300	c, f	1500 Crew Cab RWD SB	5.3L V-8	6,800	b, f
1500 Reg Cab 4WD SB	4.8L V-8	7,200	c, f	1500 Crew Cab RWD SB	5.3L V-8	7,800	c, f
1500 Reg Cab 4WD SB	4.8L V-8	8,200	d, f	2500HD Reg Cab & Chassis RWD LB	6.0L V-8	8,800	c, f, o
1500 Reg Cab 4WD SB	5.3L V-8	8,200	c, f	2500HD Reg Cab & Chassis RWD LB	6.0L V-8	10,800	d, f, o
1500 Reg Cab 4WD SB	5.3L V-8	9,200	d, f	2500HD Crew Cab RWD SB	6.0L V-8	8,300	c, f
1500 Reg Cab 4WD LB	4.3L V-6	4,600	b, f	2500HD Crew Cab RWD SB	6.0L V-8	10,300	d, f
1500 Reg Cab 4WD LB	4.3L V-6	5,100	c, f	2500HD Crew Cab RWD SB	6.0L V-8	8,000	c, f, l
1500 Reg Cab 4WD LB	4.8L V-8	7,000	c, f	2500HD Crew Cab RWD SB	6.0L V-8	10,000	d, f, l
1500 Reg Cab 4WD LB	4.8L V-8	8,000	d, f	2500HD Reg Cab & Chassis RWD LB	6.0L V-8	6,900	c, f, j
1500 Reg Cab 4WD LB	5.3L V-8	8,000	c, f	2500HD Reg Cab & Chassis RWD LB	6.0L V-8	7,900	d, f, k
1500 Reg Cab 4WD LB	5.3L V-8	9,000	d, f	2500HD Reg Cab & Chassis RWD LB	6.0L V-8	7,200	c, f, k
1500 Ext Cab 4WD SB	4.8L V-8	6,800	c, f	2500HD Reg Cab & Chassis RWD LB	6.0L V-8	8,200	d, f, k
1500 Ext Cab 4WD SB	4.8L V-8	7,800	d, f	2500HD Extended Cab RWD LB	6.0L V-8	6,500	c, f, j
1500 Ext Cab 4WD SB	5.3L V-8	7,800	c, f	2500HD Extended Cab RWD LB	6.0L V-8	7,500	d, f, j
1500 Ext Cab 4WD SB	5.3L V-8	8,800	d, f	2500HD Extended Cab RWD LB	6.0L V-8	6,800	c, f, k
1500 Ext Cab 4WD SB	5.3L V-8	7,400	c, f, l	2500HD Extended Cab RWD LB	6.0L V-8	7,800	d, f, k
1500 Ext Cab 4WD SB	5.3L V-8	8,400	d, f, l	2500HD Reg Cab & Chassis 4WD LB	6.0L V-8	6,600	c, f, j
1500 Ext Cab 4WD SB	5.3L V-8	7,500	c, f, h	2500HD Reg Cab & Chassis 4WD LB	6.0L V-8	7,600	d, f, j
1500 Ext Cab 4WD SB	6.0L V-8	7,600	d, f, n	2500HD Reg Cab & Chassis 4WD LB	6.0L V-8	6,900	c, f, k
1500 Ext Cab 4WD SB	6.0L V-8	10,000	d, f	2500HD Reg Cab & Chassis 4WD LB	6.0L V-8	7,900	d, f, k
1500 Ext Cab 4WD LB	4.8L V-8	6,600	c, f	2500HD Ext Cab 4WD LB	6.0L V-8	6,200	c, f, j
1500 Ext Cab 4WD LB	4.8L V-8	7,600	d, f	2500HD Ext Cab 4WD LB	6.0L V-8	7,200	d, f, j
1500 Ext Cab 4WD LB	5.3L V-8	7,600	c, f	2500HD Ext Cab 4WD LB	6.0L V-8	6,500	c, f, k
1500 Ext Cab 4WD LB	5.3L V-8	8,600	d, f	2500HD Ext Cab 4WD LB	6.0L V-8	7,500	d, f, k
1500 Crew Cab 4WD SB	5.3L V-8	7,500	c, f	2500HD Crew Cab & Chassis 4WD LB	6.0L V-8	7,000	d, f, j
1500 Crew Cab 4WD SB	5.3L V-8	8,500	d, f	2500HD Reg Cab & Chassis RWD LB	6.0L V-8	10,600	d, e, f
2500HD Ext Cab 4WD SB	6.0L V-8	8,300	c, o	2500HD Reg Cab & Chassis RWD LB	8.1L V-8	12,000	c, e, f
2500HD Ext Cab 4WD SB	6.0L V-8	10,300	d, o	2500HD Reg Cab & Chassis RWD LB	8.1L V-8	12,000	d, e, f
2500HD Crew Cab 4WD SB	6.0L V-8	8,000	c, f	2500HD Ext Cab RWD SB	6.0L V-8	10,300	d, e, f
2500HD Crew Cab 4WD SB	6.0L V-8	10,000	d, f	2500HD Ext Cab RWD SB	8.1L V-8	12,000	c, e, f
2500HD Crew Cab 4WD SB	6.0L V-8	7,700	c, f, l	2500HD Ext Cab RWD SB	8.1L V-8	12,000	d, e, f
2500HD Crew Cab 4WD SB	6.0L V-8	9,700	d, f, l	2500HD Ext Cab RWD SB	6.6L TDI V-8	12,000	c, e, f
1500 Reg Cab RWD SB	4.3L V-6	4,600	a, f	2500HD Ext Cab RWD SB	6.0L V-8	10,200	d, e, f
1500 Reg Cab RWD SB	4.3L V-6	5,100	b, f	2500HD Extended Cab RWD LB	6.0L V-8	10,200	d, e, f
1500 Reg Cab RWD SB	4.3L V-8	6,500	b, f	2500HD Extended Cab RWD LB	8.1L V-8	12,000	c, e, f
1500 Reg Cab RWD SB	4.3L V-8	7,500	c, f	2500HD Extended Cab RWD LB	8.1L V-8	12,000	d, e, f
1500 Reg Cab RWD SB	5.3L V-8	7,500	b, f	2500HD Extended Cab RWD LB	6.6L TDI V-8	12,000	c, e, f
1500 Reg Cab RWD SB	5.3L V-8	8,500	c, f	2500HD Crew Cab RWD SB	6.0L V-8	10,200	d, e, f
1500 Reg Cab RWD LB	4.3L V-6	4,400	a, f	2500HD Crew Cab RWD SB	8.1L V-8	12,000	c, e, f
1500 Reg Cab RWD LB	4.3L V-6	4,900	b, f	2500HD Crew Cab RWD SB	8.1L V-8	12,000	d, e, f
1500 Reg Cab RWD LB	4.3L V-8	6,300	b, f	2500HD Crew Cab RWD SB	6.6L TDI V-8	12,000	c, e, f
1500 Reg Cab RWD LB	4.3L V-8	7,300	c, f	2500HD Crew Cab & Chassis RWD LB	6.0L V-8	10,000	d, e, f
1500 Reg Cab RWD LB	5.3L V-8	7,300	b, f	2500HD Crew Cab & Chassis RWD LB	8.1L V-8	12,000	c, e, f
1500 Reg Cab RWD LB	5.3L V-8	8,300	c, f	2500HD Crew Cab & Chassis RWD LB	8.1L V-8	12,000	d, e, f
1500 Ext Cab RWD SB	4.3L V-6	4,700	b, f	2500HD Crew Cab & Chassis RWD LB	6.6L TDI V-8	12,000	c, e, f
1500 Ext Cab RWD SB	4.3L V-6	5,200	c, f	2500HD Reg Cab & Chassis 4WD LB	6.0L V-8	10,300	d, e, f
1500 Ext Cab RWD SB	4.3L V-8	6,100	b, f	2500HD Reg Cab & Chassis 4WD LB	8.1L V-8	12,000	c, e, f
1500 Ext Cab RWD SB	4.3L V-8	7,100	c, f	2500HD Reg Cab & Chassis 4WD LB	8.1L V-8	12,000	d, e, f
				2500HD Reg Cab & Chassis 4WD LB	6.6L TDI V-8	12,000	c, e, f

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
2500HD Ext Cab 4WD SB	6.0LV-8	10,100	d, e/f
2500HD Ext Cab 4WD SB	8.1LV-8	12,000	c, e/f
2500HD Ext Cab 4WD SB	8.1LV-8	12,000	d, e/f
2500HD Ext Cab 4WD SB	6.6L TDIV-8	12,000	c, e/f
2500HD Ext Cab 4WD LB	6.0LV-8	9,900	d, e/f
2500HD Ext Cab 4WD LB	8.1LV-8	12,000	c, e/f
2500HD Ext Cab 4WD LB	8.1LV-8	12,000	d, e/f
2500HD Ext Cab 4WD LB	6.6L TDIV-8	12,000	c, e/f
2500HD Crew Cab 4WD SB	6.0LV-8	9,900	d, e/f
2500HD Crew Cab 4WD SB	8.1LV-8	12,000	c, e/f
2500HD Crew Cab 4WD SB	8.1LV-8	12,000	d, e/f
2500HD Crew Cab 4WD SB	6.6L TDIV-8	12,000	c, e/f
2500HD Crew Cab & Chassis 4WD LB	6.0LV-8	9,700	d, e/f
2500HD Crew Cab & Chassis 4WD LB	8.1LV-8	12,000	c, e/f
2500HD Crew Cab & Chassis 4WD LB	8.1LV-8	12,000	d, e/f
2500HD Crew Cab & Chassis 4WD LB	6.6L TDIV-8	12,000	c, e/f
3500 Ext Cab RWD LB	6.0LV-8	9,800	d, e/f
3500 Ext Cab RWD LB	8.1LV-8	12,000	d, e/f
3500 Ext Cab RWD LB	6.6L TDIV-8	12,000	c, e/f
3500 Crew Cab RWD LB	6.0LV-8	9,600	d, e/f
3500 Crew Cab RWD LB	8.1LV-8	12,000	d, e/f
3500 Crew Cab RWD LB	6.6L TDIV-8	12,000	c, e/f
2500HD Ext Cab 4WD LB	6.0LV-8	10,100	d, e/f
2500HD Ext Cab 4WD LB	8.1LV-8	12,000	d, e/f
2500HD Ext Cab 4WD LB	6.6L TDIV-8	12,000	c, e/f
2500HD Ext Cab 4WD LB	6.0LV-8	9,900	d, e/f, m
2500HD Ext Cab 4WD LB	8.1LV-8	12,000	d, e/f, m
2500HD Ext Cab 4WD LB	6.6L TDIV-8	12,000	c, e/f, m
3500 Ext Cab 4WD LB	6.0LV-8	9,700	d, e/f
3500 Ext Cab 4WD LB	8.1LV-8	12,000	d, e/f
3500 Ext Cab 4WD LB	6.6L TDIV-8	12,000	c, e/f
3500 Ext Cab 4WD LB	6.0LV-8	9,500	d, e/f, m
3500 Ext Cab 4WD LB	8.1LV-8	12,000	d, e/f, m
3500 Ext Cab 4WD LB	6.6L TDIV-8	12,000	c, e/f, m
3500 Crew Cab 4WD LB	6.0LV-8	9,500	d, e/f
3500 Crew Cab 4WD LB	8.1LV-8	12,000	d, e/f
3500 Crew Cab 4WD LB	6.6L TDIV-8	12,000	c, e/f
3500 Crew Cab 4WD LB	6.0LV-8	9,300	d, e/f, m
3500 Crew Cab 4WD LB	8.1LV-8	12,000	d, e/f, m
3500 Crew Cab 4WD LB	6.6L TDIV-8	12,000	c, e/f, m

Sierra/Silverado — Auto & Manual — Fifth-Wheel Towing

1500 Reg Cab RWD SB	4.8LV-8	6,500	b, f
1500 Reg Cab RWD SB	4.8LV-8	7,500	c, f
1500 Reg Cab RWD SB	5.3LV-8	7,500	b, f
1500 Reg Cab RWD SB	5.3LV-8	8,500	c, f
1500 Reg Cab RWD LB	4.8LV-8	6,300	b, f
1500 Reg Cab RWD LB	4.8LV-8	7,300	c, f
1500 Reg Cab RWD LB	5.3LV-8	7,300	b, f
1500 Reg Cab RWD LB	5.3LV-8	8,300	c, f
1500 Ext Cab RWD SB	4.8LV-8	6,100	b, f
1500 Ext Cab RWD SB	4.8LV-8	7,100	c, f
1500 Ext Cab RWD SB	5.3LV-8	7,100	b, f
1500 Ext Cab RWD SB	5.3LV-8	8,100	c, f
1500 Ext Cab RWD LB	4.8LV-8	5,900	b, f
1500 Ext Cab RWD LB	4.8LV-8	6,900	c, f
1500 Ext Cab RWD LB	5.3LV-8	6,900	b, f
1500 Ext Cab RWD LB	5.3LV-8	7,900	c, f
2500HD Reg Cab & Chassis RWD LB	6.0LV-8	8,800	c, e/f, o

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
2500HD Reg Cab & Chassis RWD LB	6.0LV-8	10,800	d, e/f, o
2500HD Crew Cab RWD SB	6.0LV-8	8,300	c, e/f
2500HD Crew Cab RWD SB	6.0LV-8	10,300	d, e/f
1500 Reg Cab 4WD SB	4.8LV-8	7,200	c, e
1500 Reg Cab 4WD SB	4.8LV-8	8,100	d, e
1500 Reg Cab 4WD SB	5.3LV-8	8,100	c, e
1500 Reg Cab 4WD SB	5.3LV-8	8,100	d, e
1500 Reg Cab 4WD LB	4.8LV-8	7,000	c, e
1500 Reg Cab 4WD LB	4.8LV-8	8,000	d, e
1500 Reg Cab 4WD LB	5.3LV-8	8,000	c, e
1500 Reg Cab 4WD LB	5.3LV-8	9,000	d, e
1500 Ext Cab 4WD SB	4.8LV-8	6,800	c, e
1500 Ext Cab 4WD SB	4.8LV-8	7,800	d, e
1500 Ext Cab 4WD SB	5.3LV-8	7,800	c, e
1500 Ext Cab 4WD LB	5.3LV-8	7,800	d, e
1500 Ext Cab 4WD LB	4.8LV-8	6,600	c, e
1500 Ext Cab 4WD LB	4.8LV-8	6,800	d, e
1500 Ext Cab 4WD LB	5.3LV-8	6,800	c, e
1500 Ext Cab 4WD LB	5.3LV-8	6,800	d, e
2500HD Ext Cab 4WD SB	6.0LV-8	8,300	c, e/f, o
2500HD Ext Cab 4WD SB	6.0LV-8	10,300	d, e/f, o
2500HD Crew Cab 4WD SB	6.0LV-8	8,000	c, e/f
2500HD Crew Cab 4WD SB	6.0LV-8	10,000	d, e/f
2500HD Reg Cab & Chassis RWD LB	6.0LV-8	10,600	d, e/f
2500HD Reg Cab & Chassis RWD LB	8.1LV-8	14,100	c, e/f
2500HD Reg Cab & Chassis RWD LB	8.1LV-8	16,100	d, e/f
2500HD Reg Cab & Chassis RWD LB	6.6L TDIV-8	15,900	c, e, f
2500HD Ext Cab RWD SB	6.0LV-8	10,300	d, e/f
2500HD Ext Cab RWD SB	8.1LV-8	13,900	c, e/f
2500HD Ext Cab RWD SB	8.1LV-8	15,900	d, e/f
2500HD Ext Cab RWD SB	6.6L TDIV-8	15,700	c, e/f
2500HD Extended Cab RWD LB	6.0LV-8	10,200	d, e/f
2500HD Extended Cab RWD LB	8.1LV-8	13,700	c, e/f
2500HD Extended Cab RWD LB	8.1LV-8	15,700	d, e/f
2500HD Extended Cab RWD LB	6.6L TDIV-8	15,500	c, e/f
2500HD Crew Cab RWD SB	6.0LV-8	10,200	d, e/f
2500HD Crew Cab RWD SB	8.1LV-8	13,700	c, e/f
2500HD Crew Cab RWD SB	8.1LV-8	15,700	d, e/f
2500HD Crew Cab RWD SB	6.6L TDIV-8	15,500	c, e/f
2500HD Crew Cab & Chassis RWD LB	6.0LV-8	10,000	d, e/f
2500HD Crew Cab & Chassis RWD LB	8.1LV-8	13,500	c, e/f
2500HD Crew Cab & Chassis RWD LB	8.1LV-8	15,500	d, e/f
2500HD Crew Cab & Chassis RWD LB	6.6L TDIV-8	15,300	c, e/f
2500HD Reg Cab & Chassis 4WD LB	6.0LV-8	10,300	d, e/f
2500HD Reg Cab & Chassis 4WD LB	8.1LV-8	13,900	c, e/f
2500HD Reg Cab & Chassis 4WD LB	8.1LV-8	15,900	d, e/f
2500HD Reg Cab & Chassis 4WD LB	6.6L TDIV-8	15,700	c, e/f
2500HD Ext Cab 4WD SB	6.0LV-8	10,100	d, e/f
2500HD Ext Cab 4WD SB	8.1LV-8	13,600	c, e/f
2500HD Ext Cab 4WD SB	8.1LV-8	15,600	d, e/f
2500HD Ext Cab 4WD SB	6.6L TDIV-8	15,400	c, e/f
2500HD Ext Cab 4WD LB	6.0LV-8	9,900	d, e/f
2500HD Ext Cab 4WD LB	8.1LV-8	13,500	c, e/f
2500HD Ext Cab 4WD LB	8.1LV-8	15,500	d, e/f
2500HD Ext Cab 4WD LB	6.6L TDIV-8	15,300	c, e/f
2500HD Crew Cab 4WD SB	6.0LV-8	9,900	d, e/f
2500HD Crew Cab 4WD SB	8.1LV-8	13,400	c, e/f
2500HD Crew Cab 4WD SB	8.1LV-8	15,400	d, e/f
2500HD Crew Cab 4WD SB	6.6L TDIV-8	14,900	c, e/f

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
2500HD Crew Cab & Chassis 4WD LB	6.0L V-8	9,700	d, e/f
2500HD Crew Cab & Chassis 4WD LB	8.1L V-8	13,200	c, e/f
2500HD Crew Cab & Chassis 4WD LB	8.1L V-8	15,200	d, e/f
2500HD Crew Cab & Chassis 4WD LB	6.6L TDIV-8	13,800	c, e/f
3500 Ext Cab RWD LB	6.0L V-8	9,800	d, e/f
3500 Ext Cab RWD LB	8.1L V-8	15,400	d, e/f
3500 Ext Cab RWD LB	6.6L TDIV-8	15,200	c, e/f
3500 Crew Cab RWD LB	6.0L V-8	9,600	d, e/f
3500 Crew Cab RWD LB	8.1L V-8	15,200	d, e/f
3500 Crew Cab RWD LB	6.6L TDIV-8	15,000	c, e/f
2500HD Ext Cab 4WD LB	6.0L V-8	10,100	d, e/f
2500HD Ext Cab 4WD LB	8.1L V-8	15,700	d, e/f
2500HD Ext Cab 4WD LB	6.6L TDIV-8	15,500	c, e/f
2500HD Ext Cab 4WD LB	6.0L V-8	9,900	d, e/f, m
2500HD Ext Cab 4WD LB	8.1L V-8	15,500	d, e/f, m
2500HD Ext Cab 4WD LB	6.6L TDIV-8	15,300	c, e/f, m
3500 Ext Cab 4WD LB	6.0L V-8	9,700	d, e/f
3500 Ext Cab 4WD LB	8.1L V-8	15,300	d, e/f
3500 Ext Cab 4WD LB	6.6L TDIV-8	15,200	c, e/f
3500 Ext Cab 4WD LB	6.0L V-8	9,500	d, e/f, m
3500 Ext Cab 4WD LB	8.1L V-8	15,100	d, e/f, m
3500 Ext Cab 4WD LB	6.6L TDIV-8	14,900	c, e/f, m
3500 Crew Cab 4WD LB	6.0L V-8	9,500	d, e/f
3500 Crew Cab 4WD LB	8.1L V-8	15,100	d, e/f
3500 Crew Cab 4WD LB	6.6L TDIV-8	14,900	c, e/f
3500 Crew Cab 4WD LB	6.0L V-8	9,300	d, e/f, m
3500 Crew Cab 4WD LB	8.1L V-8	14,900	d, e/f, m
3500 Crew Cab 4WD LB	6.6L TDIV-8	14,600	c, e/f, m

Suburban/Yukon XL

1500 RWD	5.3L V-8	7,400	c, f
1500 RWD	5.3L V-8	8,400	d, f
1500 4WD	5.3L V-8	7,200	c, f
1500 4WD	5.3L V-8	8,200	d, f
2500 RWD	6.0L V-8	7,900	c, f
2500 RWD	6.0L V-8	9,900	d, f, r
2500 RWD	8.1L V-8	10,500	c, f
2500 RWD	8.1L V-8	12,000	d, f, r
2500 RWD	6.0L V-8	7,600	c, f, l
2500 RWD	6.0L V-8	9,600	d, f, l, r
2500 4WD	6.0L V-8	7,600	c, f
2500 4WD	6.0L V-8	9,600	d, f, r
2500 4WD	8.1L V-8	10,200	c, f
2500 4WD	8.1L V-8	12,000	d, f, r
2500 4WD	6.0L V-8	7,300	c, f, l
2500 4WD	6.0L V-8	9,300	d, f, l, r

Tahoe/Yukon/Escalade

Tahoe/Yukon RWD	4.8L V-8	5,700	b, f
Tahoe/Yukon RWD	4.8L V-8	6,700	c, f
Tahoe/Yukon RWD	5.3L V-8	6,700	b, f
Tahoe/Yukon RWD	5.3L V-8	7,700	c, f
Tahoe/Yukon 4WD	4.8L V-8	6,400	c, f
Tahoe/Yukon 4WD	4.8L V-8	7,400	d, f
Tahoe/Yukon 4WD	5.3L V-8	7,500	c, f
Tahoe/Yukon 4WD	5.3L V-8	7,800	d, f
Escalade RWD	5.3L V-8	7,400	c, f
Escalade AWD	6.0L V-8	8,100	c, f
Escalade ESV AWD	6.0L V-8	7,700	c, f

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Yukon Denali AWD	6.0L V-8	8,200	c, f
Yukon Denali XL AWD	6.0L V-8	8,000	c, f

TrailBlazer/Envoy/Bravada/Rainier

TrailBlazer/Envoy/Bravada RWD	4.2L I-6	5,300	b, f
TrailBlazer/Envoy/Bravada RWD	4.2L I-6	5,800	c, f
TrailBlazer/Envoy/Bravada RWD	4.2L I-6	6,300	d, f
TrailBlazer/Envoy/Bravada 4WD	4.2L I-6	5,100	b, f
TrailBlazer/Envoy/Bravada 4WD	4.2L I-6	5,600	c, f
TrailBlazer/Envoy/Bravada 4WD	4.2L I-6	6,100	d, f
Rainier RWD	4.2L I-6	5,700	c, f
Rainier RWD	4.2L I-6	6,200	d, f
Rainier RWD	5.3L V-8	6,700	c, f
Rainier 4WD	4.2L I-6	5,500	c, f
Rainier 4WD	4.2L I-6	6,100	d, f
Rainier 4WD	5.3L V-8	6,500	c, f
TrailBlazer EXT/Envoy XL RWD	4.2L I-6	5,000	b, f
TrailBlazer EXT/Envoy XL RWD	4.2L I-6	5,500	c, f
TrailBlazer EXT/Envoy XL RWD	4.2L I-6	6,000	d, f
TrailBlazer EXT/Envoy XL RWD	5.3L V-8	5,900	b, f
TrailBlazer EXT/Envoy XL RWD	5.3L V-8	7,100	c, f
TrailBlazer EXT/Envoy XL 4WD	4.2L I-6	4,800	b, f
TrailBlazer EXT/Envoy XL 4WD	4.2L I-6	5,300	c, f
TrailBlazer EXT/Envoy XL 4WD	4.2L I-6	5,800	d, f
TrailBlazer EXT/Envoy XL 4WD	5.3L V-8	5,700	b, f
TrailBlazer EXT/Envoy XL 4WD	5.3L V-8	6,700	c, f

NOTES FOR ALL BUICK/CADILLAC/CHEVROLET/GMC/OLDSMOBILE/PONTIAC PRODUCTS:

a = 3.08:1 axle ratio; **b** = 3.42:1 axle ratio; **c** = 3.73:1 axle ratio; **d** = 4.10:1 axle ratio; **e** = Manual transmission; **f** = Automatic transmission; **g** = With towing package; **h** = Parallel Hybrid vehicle — Not designed for fifth-wheel towing; **i** = Alternate fuel engine — Not designed for fifth-wheel towing; **j** = Bi-fuel CNG compressed natural gas; **k** = Dedicated CNG compressed natural gas; **l** = With Quadrateer option; **m** = Dual Rear-Wheels option; **n** = Silverado SS; **o** = 8,600 GVWR; **p** = Off-Road Package; **q** = Blazer Xtreme version; **r** = Reduce to same as 3.71:1 axle ratio ratings when equipped with Z83 Suspension Package; **s** = GL4 11,000-lb rear axle; **t** = GL8 13,500-lb rear axle

DAIMLERCHRYSLER

Chrysler

300M	3.5L V-6	2,000	
Pacifica	3.5L V-6	3,500	
Town & Country FWD	3.3L V-6	3,800	l
Town & Country FWD	3.8L V-6	3,800	l
Town & Country AWD	3.8L V-6	3,500	

Dodge

Caravan FWD	3.3L V-6	3,800	l
Caravan FWD	3.8L V-6	3,800	l
Caravan AWD	3.8L V-6	3,500	
Intrepid	3.5L V-6	2,000	m

Dakota

Reg Cab RWD	3.7L V-6	4,900	a, e
Reg Cab RWD	3.7L V-6	4,900	a, g
Reg Cab RWD	3.7L V-6	5,300	c, g
Reg Cab RWD	4.7L V-8	5,600	a, e
Reg Cab RWD	4.7L V-8	6,600	c, e
Reg Cab RWD	4.7L V-8	5,500	a, h
Reg Cab RWD	4.7L V-8	6,500	c, h

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Reg Cab RWD	3.7L V-6	4,850	a, e, i
Reg Cab RWD	3.7L V-6	5,300	c, g, i
Reg Cab RWD	4.7L V-8	5,500	a, e, i
Reg Cab RWD	4.7L V-8	6,550	c, e, i
Reg Cab RWD	4.7L V-8	5,500	a, h, i
Reg Cab RWD	4.7L V-8	6,500	c, h, i
Reg Cab 4WD	3.7L V-6	4,650	a, e
Reg Cab 4WD	3.7L V-6	3,850	c, e
Reg Cab 4WD	3.7L V-6	5,050	a, g
Reg Cab 4WD	4.7L V-8	5,300	a, e
Reg Cab 4WD	4.7L V-8	6,300	c, e
Reg Cab 4WD	4.7L V-8	4,950	a, h
Reg Cab 4WD	4.7L V-8	6,250	c, h
Reg Cab 4WD	3.7L V-6	4,650	a, e, i
Reg Cab 4WD	3.7L V-6	3,850	c, e
Reg Cab 4WD	3.7L V-6	4,600	c, g, i
Reg Cab 4WD	4.7L V-8	5,300	a, e, i
Reg Cab 4WD	4.7L V-8	6,300	c, e, i
Reg Cab 4WD	4.7L V-8	4,950	a, h, i
Reg Cab 4WD	4.7L V-8	4,950	c, h, i
Club Cab RWD	3.7L V-6	4,000	a, e
Club Cab RWD	3.7L V-6	4,800	a, g
Club Cab RWD	3.7L V-6	5,200	c, g
Club Cab RWD	4.7L V-8	5,450	a, e
Club Cab RWD	4.7L V-8	6,450	c, e
Club Cab RWD	4.7L V-8	5,100	a, h
Club Cab RWD	4.7L V-8	6,400	c, h
Club Cab RWD	3.7L V-6	4,000	a, e, i
Club Cab RWD	3.7L V-6	5,200	c, g, i
Club Cab RWD	4.7L V-8	4,750	a, e, i
Club Cab RWD	4.7L V-8	5,150	c, e, i
Club Cab RWD	4.7L V-8	4,650	a, h, i
Club Cab RWD	4.7L V-8	5,050	c, h, i
Club Cab 4WD	3.7L V-6	3,700	a, e
Club Cab 4WD	3.7L V-6	4,500	c, e
Club Cab 4WD	3.7L V-6	4,900	c, g
Club Cab 4WD	4.7L V-8	5,100	a, e
Club Cab 4WD	4.7L V-8	6,100	c, e
Club Cab 4WD	4.7L V-8	4,750	a, h
Club Cab 4WD	4.7L V-8	6,050	c, h
Quad Cab RWD	3.7L V-6	3,650	a, e
Quad Cab RWD	3.7L V-6	4,450	c, e
Quad Cab RWD	3.7L V-6	4,400	a, g
Quad Cab RWD	3.7L V-6	4,800	c, g
Quad Cab RWD	4.7L V-8	5,100	a, e
Quad Cab RWD	4.7L V-8	6,100	c, e
Quad Cab RWD	4.7L V-8	4,750	a, h
Quad Cab RWD	4.7L V-8	6,050	c, h
Quad Cab 4WD	3.7L V-6	3,400	a, e
Quad Cab 4WD	3.7L V-6	4,200	c, e
Quad Cab 4WD	3.7L V-6	4,150	a, g
Quad Cab 4WD	3.7L V-6	4,550	c, g
Quad Cab 4WD	4.7L V-8	4,850	a, e
Quad Cab 4WD	4.7L V-8	5,850	c, e
Quad Cab 4WD	4.7L V-8	4,450	a, h
Quad Cab 4WD	4.7L V-8	5,750	c, h
Durango			
ST RWD	3.7L V-6	3,750	r

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
SLT RWD	3.7L V-6	3,700	r
SLT RWD	4.7L V-8	7,450	c, r
SLT RWD	5.7L V-8	8,900	c, r
Limited RWD	4.7L V-8	7,450	c, r
Limited RWD	5.7L V-8	8,950	c, r
ST 4WD	4.7L V-8	5,850	a, r
SLT, Limited 4WD	4.7L V-8	7,250	c, r
SLT, Limited 4WD	5.7L V-8	8,700	c, r

Ram Truck

1500 Reg Cab SB RWD	3.7L V-6	3,300	a, e
1500 Reg Cab SB RWD	3.7L V-6	3,300	a, e
1500 Reg Cab SB RWD	3.7L V-6	3,750	a, g
1500 Reg Cab SB RWD	3.7L V-6	3,750	c, g
1500 Reg Cab SB RWD	4.7L V-8	4,750	a, e
1500 Reg Cab SB RWD	4.7L V-8	5,750	c, e
1500 Reg Cab SB RWD	4.7L V-8	6,650	a, h
1500 Reg Cab SB RWD	4.7L V-8	7,650	c, h
1500 Reg Cab SB RWD	4.7L V-8	4,700	c, e, k
1500 Reg Cab SB RWD	4.7L V-8	6,600	c, h, k
1500 Reg Cab SB RWD	5.7L V-8	8,200	a, h
1500 Reg Cab SB RWD	5.7L V-8	9,200	c, h
1500 Reg Cab SB RWD	5.7L V-8	8,150	c, h, k
1500 Reg Cab LB RWD	3.7L V-6	3,150	a, e
1500 Reg Cab LB RWD	3.7L V-6	3,150	c, e
1500 Reg Cab LB RWD	3.7L V-6	3,600	a, g
1500 Reg Cab LB RWD	3.7L V-6	3,600	c, g
1500 Reg Cab LB RWD	4.7L V-8	4,550	a, e
1500 Reg Cab LB RWD	4.7L V-8	5,550	c, e
1500 Reg Cab LB RWD	4.7L V-8	6,500	a, h
1500 Reg Cab LB RWD	4.7L V-8	7,500	c, h
1500 Reg Cab LB RWD	5.7L V-8	7,950	a, h
1500 Reg Cab LB RWD	5.7L V-8	8,950	c, h
1500 Reg Cab SB 4WD	4.7L V-8	4,500	a, e
1500 Reg Cab SB 4WD	4.7L V-8	5,500	c, e
1500 Reg Cab SB 4WD	4.7L V-8	6,400	a, h
1500 Reg Cab SB 4WD	4.7L V-8	7,400	c, h
1500 Reg Cab SB 4WD	4.7L V-8	4,400	c, e, k
1500 Reg Cab SB 4WD	4.7L V-8	6,350	c, h, k
1500 Reg Cab SB 4WD	4.7L V-8	4,400	a, e, j
1500 Reg Cab SB 4WD	4.7L V-8	5,400	c, e, j
1500 Reg Cab SB 4WD	4.7L V-8	6,300	a, h, j
1500 Reg Cab SB 4WD	4.7L V-8	7,300	c, h, j
1500 Reg Cab SB 4WD	5.7L V-8	7,950	a, h
1500 Reg Cab SB 4WD	5.7L V-8	8,950	c, h
1500 Reg Cab SB 4WD	5.7L V-8	7,850	c, h, k
1500 Reg Cab SB 4WD	5.7L V-8	7,800	a, h, j
1500 Reg Cab SB 4WD	5.7L V-8	8,800	c, h, j
1500 Reg Cab LB 4WD	4.7L V-8	4,300	a, e
1500 Reg Cab LB 4WD	4.7L V-8	5,300	c, e
1500 Reg Cab LB 4WD	4.7L V-8	6,200	a, h
1500 Reg Cab LB 4WD	4.7L V-8	7,200	c, h
1500 Reg Cab LB 4WD	4.7L V-8	4,200	a, e, j
1500 Reg Cab LB 4WD	4.7L V-8	5,200	c, e, j
1500 Reg Cab LB 4WD	4.7L V-8	6,100	a, h, j
1500 Reg Cab LB 4WD	4.7L V-8	7,100	c, h, j
1500 Reg Cab LB 4WD	5.7L V-8	7,700	a, h
1500 Reg Cab LB 4WD	5.7L V-8	8,700	c, h
1500 Reg Cab LB 4WD	5.7L V-8	7,600	a, h, j

MODEL	ENGINE	TOW LIMIT (lb)	NOTES	MODEL	ENGINE	TOW LIMIT (lb)	NOTES
1500 Reg Cab LB 4WD	5.7LV-8	8,600	c, h, j	2500 Reg Cab LB 4WD	5.9L TDI-HO	13,000	d, f
1500 Quad Cab SB RWD	3.7LV-6	2,950	a, e	2500 Quad Cab SB RWD	5.7LV-8	9,200	b, e
1500 Quad Cab SB RWD	3.7LV-6	2,950	a, e	2500 Quad Cab SB RWD	5.7LV-8	11,200	d, e
1500 Quad Cab SB RWD	3.7LV-6	3,400	a, g	2500 Quad Cab SB RWD	5.7LV-8	9,300	b, h
1500 Quad Cab SB RWD	3.7LV-6	3,400	c, g	2500 Quad Cab SB RWD	5.7LV-8	11,300	d, h
1500 Quad Cab SB RWD	4.7LV-8	4,400	a, e	2500 Quad Cab SB RWD	5.9L TDI	12,450	b, e
1500 Quad Cab SB RWD	4.7LV-8	5,400	c, e	2500 Quad Cab SB RWD	5.9L TDI	13,450	d, e
1500 Quad Cab SB RWD	4.7LV-8	6,350	a, h	2500 Quad Cab SB RWD	5.9L TDI	13,450	b, g
1500 Quad Cab SB RWD	4.7LV-8	7,350	c, h	2500 Quad Cab SB RWD	5.9L TDI	13,450	d, g
1500 Quad Cab SB RWD	4.7LV-8	4,350	c, e, k	2500 Quad Cab SB RWD	5.9L TDI-HO	13,250	b, f
1500 Quad Cab SB RWD	4.7LV-8	6,300	c, h, k	2500 Quad Cab SB RWD	5.9L TDI-HO	13,250	d, f
1500 Quad Cab SB RWD	5.7LV-8	7,900	a, h	2500 Quad Cab SB RWD	5.9L TDI-HO	13,450	b, g
1500 Quad Cab SB RWD	5.7LV-8	8,900	c, h	2500 Quad Cab SB RWD	5.9L TDI-HO	13,450	d, g
1500 Quad Cab SB RWD	5.7LV-8	7,850	c, h, k	2500 Quad Cab LB RWD	5.7LV-8	9,050	b, e
1500 Quad Cab LB RWD	4.7LV-8	4,300	a, e	2500 Quad Cab LB RWD	5.7LV-8	11,050	d, e
1500 Quad Cab LB RWD	4.7LV-8	5,300	c, e	2500 Quad Cab LB RWD	5.7LV-8	9,100	b, h
1500 Quad Cab LB RWD	4.7LV-8	6,200	a, h	2500 Quad Cab LB RWD	5.7LV-8	11,100	d, h
1500 Quad Cab LB RWD	4.7LV-8	7,200	c, h	2500 Quad Cab LB RWD	5.9L TDI	12,300	b, e
1500 Quad Cab LB RWD	5.7LV-8	8,300	a, h	2500 Quad Cab LB RWD	5.9L TDI	13,300	d, e
1500 Quad Cab LB RWD	5.7LV-8	9,300	c, h	2500 Quad Cab LB RWD	5.9L TDI	13,250	b, g
1500 Quad Cab SB 4WD	4.7LV-8	4,150	a, e	2500 Quad Cab LB RWD	5.9L TDI	13,250	d, g
1500 Quad Cab SB 4WD	4.7LV-8	5,150	c, e	2500 Quad Cab LB RWD	5.9L TDI-HO	13,150	b, f
1500 Quad Cab SB 4WD	4.7LV-8	6,100	a, h	2500 Quad Cab LB RWD	5.9L TDI-HO	13,150	d, f
1500 Quad Cab SB 4WD	4.7LV-8	7,100	c, h	2500 Quad Cab LB RWD	5.9L TDI-HO	13,300	b, g
1500 Quad Cab SB 4WD	4.7LV-8	4,100	c, e, k	2500 Quad Cab LB RWD	5.9L TDI-HO	13,300	d, g
1500 Quad Cab SB 4WD	4.7LV-8	6,000	c, h, k	2500 Quad Cab SB 4WD	5.7LV-8	8,750	b, e
1500 Quad Cab SB 4WD	4.7LV-8	4,050	a, e, j	2500 Quad Cab SB 4WD	5.7LV-8	10,750	d, e
1500 Quad Cab SB 4WD	4.7LV-8	5,050	c, e, j	2500 Quad Cab SB 4WD	5.7LV-8	8,800	b, h
1500 Quad Cab SB 4WD	4.7LV-8	6,000	a, h, j	2500 Quad Cab SB 4WD	5.7LV-8	10,800	d, h
1500 Quad Cab SB 4WD	4.7LV-8	7,000	c, h, j	2500 Quad Cab SB 4WD	5.9L TDI	12,000	b, e
1500 Quad Cab SB 4WD	5.7LV-8	7,600	a, h	2500 Quad Cab SB 4WD	5.9L TDI	13,000	d, e
1500 Quad Cab SB 4WD	5.7LV-8	8,600	c, h	2500 Quad Cab SB 4WD	5.9L TDI	13,000	b, g
1500 Quad Cab SB 4WD	5.7LV-8	7,550	c, h, k	2500 Quad Cab SB 4WD	5.9L TDI	13,000	d, g
1500 Quad Cab SB 4WD	5.7LV-8	7,550	a, h, j	2500 Quad Cab SB 4WD	5.9L TDI-HO	12,850	b, f
1500 Quad Cab SB 4WD	5.7LV-8	8,550	c, h, j	2500 Quad Cab SB 4WD	5.9L TDI-HO	12,850	d, f
1500 Quad Cab LB 4WD	4.7LV-8	4,950	c, e	2500 Quad Cab SB 4WD	5.9L TDI-HO	13,050	b, g
1500 Quad Cab LB 4WD	4.7LV-8	6,850	c, h	2500 Quad Cab SB 4WD	5.9L TDI-HO	13,050	d, g
1500 Quad Cab LB 4WD	5.7LV-8	8,400	c, h	2500 Quad Cab LB 4WD	5.7LV-8	8,650	b, e
2500 Reg Cab LB RWD	5.7LV-8	9,400	b, e	2500 Quad Cab LB 4WD	5.7LV-8	10,650	d, e
2500 Reg Cab LB RWD	5.7LV-8	11,400	d, e	2500 Quad Cab LB 4WD	5.7LV-8	8,700	b, h
2500 Reg Cab LB RWD	5.7LV-8	9,450	b, g	2500 Quad Cab LB 4WD	5.7LV-8	10,700	d, h
2500 Reg Cab LB RWD	5.7LV-8	11,450	d, g	2500 Quad Cab LB 4WD	5.9L TDI	11,850	b, e
2500 Reg Cab LB RWD	5.9L TDI	12,650	b, e	2500 Quad Cab LB 4WD	5.9L TDI	12,850	d, e
2500 Reg Cab LB RWD	5.9L TDI	13,650	d, e	2500 Quad Cab LB 4WD	5.9L TDI	12,850	b, g
2500 Reg Cab LB RWD	5.9L TDI	13,600	b, g	2500 Quad Cab LB 4WD	5.9L TDI	12,850	d, g
2500 Reg Cab LB RWD	5.9L TDI	13,600	d, g	2500 Quad Cab LB 4WD	5.9L TDI-HO	12,650	b, f
2500 Reg Cab LB RWD	5.9L TDI-HO	13,450	b, f	2500 Quad Cab LB 4WD	5.9L TDI-HO	12,650	d, f
2500 Reg Cab LB RWD	5.9L TDI-HO	13,450	d, f	3500 Reg Cab LB RWD DRW	5.7LV-8	9,050	b, e
2500 Reg Cab LB RWD	5.9L TDI-HO	13,600	b, g	3500 Reg Cab LB RWD DRW	5.7LV-8	11,050	d, e
2500 Reg Cab LB RWD	5.9L TDI-HO	13,600	d, g	3500 Reg Cab LB RWD DRW	5.7LV-8	9,100	b, h
2500 Reg Cab LB 4WD	5.7LV-8	9,000	b, e	3500 Reg Cab LB RWD DRW	5.7LV-8	11,100	d, h
2500 Reg Cab LB 4WD	5.7LV-8	11,000	d, e	3500 Reg Cab LB RWD DRW	5.9L TDI	12,450	b, e
2500 Reg Cab LB 4WD	5.7LV-8	9,000	b, h	3500 Reg Cab LB RWD DRW	5.9L TDI	14,450	d, e
2500 Reg Cab LB 4WD	5.7LV-8	11,000	d, h	3500 Reg Cab LB RWD DRW	5.9L TDI	13,400	b, g
2500 Reg Cab LB 4WD	5.9L TDI	12,200	b, e	3500 Reg Cab LB RWD DRW	5.9L TDI	13,400	d, g
2500 Reg Cab LB 4WD	5.9L TDI	13,200	d, e	3500 Reg Cab LB RWD DRW	5.9L TDI-HO	14,300	b, f
2500 Reg Cab LB 4WD	5.9L TDI	13,200	b, g	3500 Reg Cab LB RWD DRW	5.9L TDI-HO	16,300	d, f
2500 Reg Cab LB 4WD	5.9L TDI	13,200	d, g	3500 Reg Cab LB RWD DRW	5.9L TDI-HO	13,450	b, g
2500 Reg Cab LB 4WD	5.9L TDI-HO	13,000	b, f	3500 Reg Cab LB RWD DRW	5.9L TDI-HO	15,450	d, g

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
3500 Reg Cab LB 4WD DRW	5.7L V-8	8,550	b, e
3500 Reg Cab LB 4WD DRW	5.7L V-8	10,550	d, e
3500 Reg Cab LB 4WD DRW	5.7L V-8	8,600	b, h
3500 Reg Cab LB 4WD DRW	5.7L V-8	10,600	d, h
3500 Reg Cab LB 4WD DRW	5.9L TDI	13,000	b, g
3500 Reg Cab LB 4WD DRW	5.9L TDI	13,000	d, g
3500 Reg Cab LB 4WD DRW	5.9L TDI-HO	13,800	b, f
3500 Reg Cab LB 4WD DRW	5.9L TDI-HO	15,800	d, f
3500 Reg Cab LB 4WD DRW	5.9L TDI-HO	13,000	b, g
3500 Reg Cab LB 4WD DRW	5.9L TDI-HO	15,000	d, g
3500 Reg Cab SB RWD SRW	5.9L TDI	12,500	b, e
3500 Reg Cab SB RWD SRW	5.9L TDI	14,500	d, e
3500 Reg Cab SB RWD SRW	5.9L TDI	13,500	b, g
3500 Reg Cab SB RWD SRW	5.9L TDI	13,500	d, g
3500 Reg Cab SB RWD SRW	5.9L TDI-HO	14,350	b, f
3500 Reg Cab SB RWD SRW	5.9L TDI-HO	16,350	d, f
3500 Reg Cab SB RWD SRW	5.9L TDI-HO	13,550	b, g
3500 Reg Cab SB RWD SRW	5.9L TDI-HO	15,550	d, g
3500 Reg Cab LB RWD SRW	5.9L TDI	12,450	b, e
3500 Reg Cab LB RWD SRW	5.9L TDI	14,450	d, e
3500 Reg Cab LB RWD SRW	5.9L TDI	13,400	b, g
3500 Reg Cab LB RWD SRW	5.9L TDI	13,400	d, g
3500 Reg Cab LB RWD SRW	5.9L TDI-HO	14,300	b, f
3500 Reg Cab LB RWD SRW	5.9L TDI-HO	16,300	b, f
3500 Reg Cab LB RWD SRW	5.9L TDI-HO	13,450	b, g
3500 Reg Cab LB RWD SRW	5.9L TDI-HO	15,450	d, g
3500 Quad Cab LB RWD DRW	5.7L V-8	8,700	b, e
3500 Quad Cab LB RWD DRW	5.7L V-8	10,700	d, e
3500 Quad Cab LB RWD DRW	5.7L V-8	8,700	b, h
3500 Quad Cab LB RWD DRW	5.7L V-8	10,700	d, h
3500 Quad Cab LB RWD DRW	5.9L TDI	12,100	b, e
3500 Quad Cab LB RWD DRW	5.9L TDI	14,100	d, e
3500 Quad Cab LB RWD DRW	5.9L TDI	13,050	b, g
3500 Quad Cab LB RWD DRW	5.9L TDI	13,050	d, g
3500 Quad Cab LB RWD DRW	5.9L TDI-HO	13,950	b, f
3500 Quad Cab LB RWD DRW	5.9L TDI-HO	13,950	d, f
3500 Quad Cab LB RWD DRW	5.9L TDI-HO	13,100	b, g
3500 Quad Cab LB RWD DRW	5.9L TDI-HO	13,100	d, g
3500 Quad Cab SB 4WD SRW	5.9L TDI	12,100	b, e
3500 Quad Cab SB 4WD SRW	5.9L TDI	14,100	d, e
3500 Quad Cab SB 4WD SRW	5.9L TDI	13,100	b, g
3500 Quad Cab SB 4WD SRW	5.9L TDI	13,100	d, g
3500 Quad Cab SB 4WD SRW	5.9L TDI-HO	13,950	b, f
3500 Quad Cab SB 4WD SRW	5.9L TDI-HO	15,950	d, f
3500 Quad Cab SB 4WD SRW	5.9L TDI-HO	13,150	b, g
3500 Quad Cab SB 4WD SRW	5.9L TDI-HO	15,150	d, g
3500 Quad Cab LB 4WD SRW	5.9L TDI	11,950	b, e
3500 Quad Cab LB 4WD SRW	5.9L TDI	13,950	d, e
3500 Quad Cab LB 4WD SRW	5.9L TDI	12,950	b, g
3500 Quad Cab LB 4WD SRW	5.9L TDI	12,950	d, g
3500 Quad Cab LB 4WD SRW	5.9L TDI-HO	13,800	b, f
3500 Quad Cab LB 4WD SRW	5.9L TDI-HO	15,800	d, f
3500 Quad Cab LB 4WD SRW	5.9L TDI-HO	13,000	b, g
3500 Quad Cab LB 4WD SRW	5.9L TDI-HO	13,000	d, g
3500 Quad Cab LB 4WD DRW	5.7L V-8	8,200	b, e
3500 Quad Cab LB 4WD DRW	5.7L V-8	10,200	d, e
3500 Quad Cab LB 4WD DRW	5.7L V-8	8,250	b, h
3500 Quad Cab LB 4WD DRW	5.7L V-8	10,250	d, h
3500 Quad Cab LB 4WD DRW	5.9L TDI	11,600	b, e

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
3500 Quad Cab LB 4WD DRW	5.9L TDI	13,600	d, e
3500 Quad Cab LB 4WD DRW	5.9L TDI	12,600	b, g
3500 Quad Cab LB 4WD DRW	5.9L TDI	12,600	b, g
3500 Quad Cab LB 4WD DRW	5.9L TDI-HO	13,450	b, f
3500 Quad Cab LB 4WD DRW	5.9L TDI-HO	15,450	d, f
3500 Quad Cab LB 4WD DRW	5.9L TDI-HO	12,650	b, g
3500 Quad Cab LB 4WD DRW	5.9L TDI-HO	14,650	d, g

Jeep

Grand Cherokee	4.0L I-6	5,000	l
Grand Cherokee	4.7L V-8	6,500	n, o
Liberty	2.4L I-4	2,000	
Liberty	3.7L V-6	5,000	p
Wrangler	2.5L I-4	2,000	q
Wrangler	4.0L I-6	2,000	

NOTES FOR ALL DAIMLERCHRYSLER VEHICLES:

a = 3.55:1 axle ratio; **b** = 3.73:1 axle ratio; **c** = 3.92:1 axle ratio; **d** = 4.10:1 axle ratio; **e** = 5-speed manual transmission; **f** = 6-speed manual transmission; **g** = 4-speed automatic transmission; **h** = 5-speed automatic transmission; **i** = High-GWV option; **j** = 17-inch LT275 tires; **k** = 20-inch tires; **l** = With Trailer Preparation Group; 2,000 lb without; **m** = 1,500 lb for 2.7L V-6; **n** = 5,000 lb without towing package; **o** = 6,700 lb for RWD with towing package; **p** = Deduct 1,500 lb for manual transmission; **q** = Deduct 1,000 lb for 4-speed automatic transmission; **r** = with tow package.

FORD/MERCURY

Crown Victoria/Grand Marquis

Crown Victoria/Grand Marquis	4.6L V-8	2,000	q
------------------------------	----------	-------	---

E-Series Van cargo

E-150 SWB CV	4.6L V-8	6,500	c
E-150 SWB CV	5.4L V-8	6,900	c
E-250 SWB CV	4.6L V-8	5,100	d
E-250 SWB CV	4.6L V-8	5,600	e
E-250 SWB CV	5.4L V-8	7,500	d
E-350 SWB CV	5.4L V-8	6,300	c
E-350 SWB CV	5.4L V-8	7,300	e
E-350 SWB CV	6.8L V-10	9,200	d
E-350 SWB CV	6.8L V-10	10,000	e
E-350 SWB CV	6.0L V-8 TDI	9,700	c
E-350 SWB CV	6.0L V-8 TDI	10,000	e
E-250 LWB CV	4.6L V-8	5,000	d
E-250 LWB CV	4.6L V-8	5,400	e
E-250 LWB CV	5.4L V-8	7,300	d
E-350 LWB CV	5.4L V-8	6,200	c
E-350 LWB CV	5.4L V-8	7,200	e
E-350 LWB CV	6.8L V-10	9,000	d
E-350 LWB CV	6.8L V-10	10,000	e
E-350 LWB CV	6.0L V-8 TDI	9,500	c
E-350 LWB CV	6.0L V-8 TDI	10,000	e

E-Series Wagon passenger

E-150 SWB PV	4.6L V-8	6,100	c
E-150 SWB PV	5.4L V-8	6,500	c
E-350 SWB PV	5.4L V-8	6,900	d/e
E-350 LWB PV	5.4L V-8	5,700	c
E-350 LWB PV	5.4L V-8	6,700	d/e
E-350 SWB PV	6.8L V-10	8,800	c
E-350 SWB PV	6.8L V-10	10,000	e
E-350 LWB PV	6.8L V-10	8,800	c

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
E-350 LWB PV	6.8L V-10	10,000	e
E-350 SWB PV	6.0L V-8 TDI	9,300	c
E-350 SWB PV	6.0L V-8 TDI	10,000	e
E-350 LWB PV	6.0L V-8 TDI	9,000	c
E-350 LWB PV	6.0L V-8 TDI	10,000	e
Escape			
Escape FWD, 4WD	3.0L V-6	2,000	j
Escape FWD, 4WD	3.0L V-6	3,500	j, q
Excursion			
RWD	5.4L V-8	6,100	d
RWD	5.4L V-8	7,600	e
RWD	6.8L V-10	10,000	d
RWD	6.8L V-10	11,000	e
RWD	6.0L V-8 TDI	11,000	e
4WD	5.4L V-8	7,200	e
4WD	6.8L V-10	9,600	d
4WD	6.8L V-10	11,000	e
4WD	6.0L V-8 TDI	11,000	d
Expedition			
RWD	4.6L V-8	5,000	d
RWD	5.4L V-8	6,000	d
RWD	5.4L V-8	8,950	d, q
4WD	4.6L V-8	5,000	d
4WD	5.4L V-8	6,000	d
4WD	5.4L V-8	8,650	d, q
Explorer/Explorer Sport/Explorer Sport Trac/Mountaineer			
Explorer RWD	4.0L V-6	3,260	c, j, v
Explorer RWD	4.0L V-6	5,780	d, j, w
Explorer 4WD	4.0L V-6	3,400	c, j, v
Explorer 4WD	4.0L V-6	5,380	d, j, w
Explorer AWD	4.0L V-6	3,400	c, j, v
Explorer AWD	4.0L V-6	5,380	d, j, w
Explorer RWD	4.6L V-8	3,260	c, j, v
Explorer RWD	4.6L V-8	7,140	d, j, w, x
Explorer 4WD	4.6L V-8	3,420	c, j, w
Explorer 4WD	4.6L V-8	7,000	d, j, w, x
Explorer AWD	4.6L V-8	3,420	c, j, v
Explorer AWD	4.6L V-8	7,000	d, j, w, x
Explorer Sport XLS RWD	4.0L V-6	3,000	i, q
Explorer Sport XLS 4WD	4.0L V-6	2,800	i, q
Explorer Sport XLT RWD	4.0L V-6	5,040	j, q
Explorer Sport XLT 4WD	4.0L V-6	4,840	j, q
Explorer Sport Trac RWD	4.0L V-6	5,300	j
Explorer Sport Trac 4WD	4.0L V-6	5,080	j
Mountaineer RWD	4.0L V-6	3,100	c
Mountaineer RWD	4.0L V-6	5,620	d
Mountaineer AWD	4.0L V-6	3,240	c
Mountaineer AWD	4.0L V-6	5,220	d
Mountaineer RWD	4.6L V-8	3,020	c
Mountaineer RWD	4.6L V-8	6,980	c
Mountaineer AWD	4.6L V-8	3,260	c
Mountaineer AWD	4.6L V-8	6,840	c
Freestar/Monterey Minivan			
Freestar/Monterey	All	2,000	q

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
F-150 Harley-Davidson Truck			
F-150 SuperCrew Harley-Davidson RWD	5.4L V-8 SC	4,500	q
F-150 Heritage Light-Duty Truck — Conventional Towing			
F-150 Reg Cab RWD	4.2L V-6	2,000	a, i
F-150 Reg Cab RWD	4.2L V-6	3,500	c, i
F-150 Reg Cab 4WD	4.2L V-6	2,500	b, i
F-150 Reg Cab 4WD	4.2L V-6	3,200	c, i
F-150 SuperCab RWD	4.2L V-6	2,000	a, i
F-150 SuperCab RWD	4.2L V-6	3,300	c, i
F-150 Reg Cab RWD	4.2L V-6	4,600	b, j
F-150 Reg Cab RWD	4.2L V-6	5,700	c, j
F-150 Reg Cab 4WD	4.2L V-6	5,400	c, j
F-150 SuperCab RWD	4.2L V-6	4,500	b, j
F-150 SuperCab RWD	4.2L V-6	5,500	c, j
F-150 Reg Cab RWD	4.6L V-8	2,000	a, j
F-150 Reg Cab RWD	4.6L V-8	6,100	b, j
F-150 Reg Cab RWD	4.6L V-8	7,100	c, j
F-150 Reg Cab 4WD	4.6L V-8	5,800	b, j
F-150 Reg Cab 4WD	4.6L V-8	6,800	c, j, k
F-150 Reg Cab 4WD	4.6L V-8	6,300	c, j, l
F-150 SuperCab RWD	4.6L V-8	2,000	a, j
F-150 SuperCab RWD	4.6L V-8	5,900	b, j
F-150 SuperCab RWD	4.6L V-8	6,900	c, j
F-150 SuperCab 4WD	4.6L V-8	5,500	b, j
F-150 SuperCab 4WD	4.6L V-8	6,500	c, j, k
F-150 SuperCab 4WD	4.6L V-8	6,000	c, j, l
F-150 Reg Cab RWD	5.4L V-8	5,800	y
F-150 Reg Cab RWD	5.4L V-8	8,300	m, z
F-150 Reg Cab RWD	5.4L V-8	8,200	n, z
F-150 Reg Cab 4WD	5.4L V-8	8,000	m, z
F-150 Reg Cab 4WD	5.4L V-8	7,800	n, z
F-150 SuperCab RWD	5.4L V-8	8,200	m, z
F-150 SuperCab RWD	5.4L V-8	8,000	n, z
F-150 SuperCab 4WD	5.4L V-8	7,800	m, z
F-150 SuperCab 4WD	5.4L V-8	7,700	n, z
F-150 Heritage Light-Duty Truck — Fifth-Wheel Towing			
F-150 Reg Cab RWD	4.2L V-6	5,700	c, j
F-150 Reg Cab 4WD	4.2L V-6	5,400	c, j
F-150 SuperCab RWD	4.2L V-6	5,500	c, j
F-150 Reg Cab RWD	4.6L V-8	7,200	c, j, k
F-150 Reg Cab 4WD	4.6L V-8	6,800	c, j, k
F-150 Reg Cab 4WD	4.6L V-8	6,300	c, j, l
F-150 SuperCab RWD	4.6L V-8	6,900	c, j, k
F-150 SuperCab 4WD	4.6L V-8	6,600	c, j, k
F-150 SuperCab 4WD	4.6L V-8	6,100	c, j, l
F-150 Light-Duty Truck — Conventional Towing			
F-150 Reg Cab. RWD 126" WB	4.6L V-8	6,500	c, j
F-150 Reg Cab. RWD 144.5" WB	4.6L V-8	6,600	c, j
F-150 Reg Cab. 4WD 126" WB	4.6L V-8	6,200	c, j
F-150 Reg Cab. 4WD 144.5" WB	4.6L V-8	6,300	c, j
F-150 SuperCrew RWD 138.5" WB	4.6L V-8	6,200	c, j
F-150 Reg Cab. RWD 126" WB	4.6L V-8	7,000	d, j
F-150 Reg Cab. RWD 144.5" WB	4.6L V-8	7,100	d, j
F-150 Reg Cab. 4WD 126" WB	4.6L V-8	6,700	d, j
F-150 Reg Cab. 4WD 144.5" WB	4.6L V-8	6,800	d, j
F-150 SuperCrew RWD 138.5" WB	4.6L V-8	6,700	d, j

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
F-150 SuperCrew 4WD 138.5" WB	4.6L V-8	6,500	d, j
F-150 Reg Cab RWD 126" WB	5.4L V-8	6,900	b, j
F-150 Reg Cab RWD 144.5" WB	5.4L V-8	7,300	b, j
F-150 Reg Cab RWD 126" WB	5.4L V-8	7,900	c, j
F-150 Reg Cab RWD 144.5" WB	5.4L V-8	8,800	c, j
F-150 Reg Cab 4WD 126" WB	5.4L V-8	7,700	c, j
F-150 Reg Cab 4WD 144.5" WB	5.4L V-8	8,500	c, j
F-150 SuperCrew RWD 138.5" WB	5.4L V-8	8,500	c, j
F-150 SuperCrew 4WD 138.5" WB	5.4L V-8	8,200	c, j
F-150 Reg Cab RWD 126" WB	5.4L V-8	8,400	d, j
F-150 Reg Cab RWD 144.5" WB	5.4L V-8	9,800	d, j
F-150 Reg Cab 4WD 126" WB	5.4L V-8	8,200	d, j
F-150 Reg Cab 4WD 144.5" WB	5.4L V-8	9,500	d, j
F-150 SuperCrew RWD 138.5" WB	5.4L V-8	9,500	d, j
F-150 SuperCrew 4WD 138.5" WB	5.4L V-8	9,200	d, j
F-150 Reg Cab RWD/4WD 144.5" WB	5.4L V-8	9,900/9,500	e, j
F-150 SuperCab RWD 132.5" WB	4.6L V-8	6,300	c, j
F-150 SuperCab RWD 144.5" WB	4.6L V-8	6,300	c, j
F-150 SuperCab 4WD 132.5" WB	4.6L V-8	5,900	c, j
F-150 SuperCab 4WD 144.5" WB	4.6L V-8	6,000	c, j
F-150 SuperCab RWD 132.5" WB	4.6L V-8	6,800	d, j
F-150 SuperCab RWD 144.5" WB	4.6L V-8	6,800	d, j
F-150 SuperCab 4WD 132.5" WB	4.6L V-8	6,400	d, j
F-150 SuperCab 4WD 144.5" WB	4.6L V-8	6,500	d, j
F-150 SuperCab RWD 132.5" WB	5.4L V-8	7,600	c, j
F-150 SuperCab RWD 144.5" WB	5.4L V-8	8,500	c, j
F-150 SuperCab 4WD 132.5" WB	5.4L V-8	7,300	c, j
F-150 SuperCab 4WD 144.5" WB	5.4L V-8	8,300	c, j
F-150 SuperCab RWD 132.5" WB	5.4L V-8	8,100	d, j
F-150 SuperCab RWD 144.5" WB	5.4L V-8	9,500	d, j
F-150 SuperCab RWD 163" WB	5.4L V-8	9,500	e, j
F-150 SuperCab 4WD 132.5" WB	5.4L V-8	7,800	d, j
F-150 SuperCab 4WD 144.5" WB	5.4L V-8	9,300	d, j
F-150 SuperCab 4WD 163" WB	5.4L V-8	9,200	e, j

F-150 Light-Duty Truck — Fifth-Wheel Towing			
F-150 Reg Cab RWD 126" WB	4.6L V-8	6,500	c, j, o
F-150 Reg Cab RWD 144.5" WB	4.6L V-8	6,600	c, j, o
F-150 Reg Cab 4WD 126" WB	4.6L V-8	6,200	c, j, o
F-150 Reg Cab 4WD 144.5" WB	4.6L V-8	6,300	c, j, o
F-150 Reg Cab RWD 126" WB	4.6L V-8	7,000	c, j, o
F-150 Reg Cab RWD 144.5" WB	4.6L V-8	7,100	d, j, o
F-150 Reg Cab 4WD 126" WB	4.6L V-8	6,700	d, j, o
F-150 Reg Cab 4WD 144.5" WB	4.6L V-8	6,800	d, j, o
F-150 Reg Cab RWD 126" WB	5.4L V-8	6,900	d, j, o
F-150 Reg Cab RWD 144.5" WB	5.4L V-8	7,300	d, j, o
F-150 Reg Cab RWD 126" WB	5.4L V-8	7,900	c, j, o
F-150 Reg Cab RWD 144.5" WB	5.4L V-8	8,800	c, j, o
F-150 Reg Cab 4WD 126" WB	5.4L V-8	7,700	c, j, o
F-150 Reg Cab 4WD 144.5" WB	5.4L V-8	8,500	c, j, o
F-150 Reg Cab RWD 126" WB	5.4L V-8	8,400	d, j, o
F-150 Reg Cab RWD 144.5" WB	5.4L V-8	9,800	d, j, o
F-150 Reg Cab 4WD 126" WB	5.4L V-8	8,200	d, j, o
F-150 Reg Cab 4WD 144.5" WB	5.4L V-8	9,500	d, j, o
F-150 Reg Cab RWD 144.5" WB	5.4L V-8	10,000	e, j, o
F-150 Reg Cab 4WD 144.5" WB	5.4L V-8	9,600	e, j, o
F-150 SuperCab RWD 144.5" WB	4.6L V-8	6,400	c, j
F-150 SuperCab 4WD 144.5" WB	4.6L V-8	6,100	c, j
F-150 SuperCab RWD 144.5" WB	4.6L V-8	6,900	d, j

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
F-150 SuperCab 4WD 144.5" WB	4.6L V-8	6,600	d, j
F-150 SuperCab RWD 144.5" WB	5.4L V-8	8,500	c, j
F-150 SuperCab 4WD 144.5" WB	5.4L V-8	8,300	c, j
F-150 SuperCab RWD 144.5" WB	5.4L V-8	9,500	d, j
F-150 SuperCab 4WD 144.5" WB	5.4L V-8	9,300	d, j
F-150 SuperCab RWD 163" WB	5.4L V-8	9,600	e, j
F-150 SuperCab 4WD 163" WB	5.4L V-8	9,200	e, j

F-150 SVT Lightning Truck			
F-150 Reg Cab RWD	5.4L V-8 SC	5,000	q

Super Duty F-250/F-350 — Auto & Manual — Conventional Towing			
F-250/350 Reg Cab RWD SRW	5.4L V-8	7,800	d, i
F-250/350 Reg Cab RWD SRW	5.4L V-8	9,300	e, i
F-250/350 Reg Cab RWD DRW	5.4L V-8	7,600	d, i
F-250/350 Reg Cab RWD DRW	5.4L V-8	9,100	e, i
F-250/350 Reg Cab 4WD SRW	5.4L V-8	7,400	d, i
F-250/350 Reg Cab 4WD SRW	5.4L V-8	8,900	e, i
F-250/350 Reg Cab 4WD DRW	5.4L V-8	7,100	d, i
F-250/350 Reg Cab 4WD DRW	5.4L V-8	8,600	e, i
F-250/350 Reg Cab RWD SRW	6.8L V-10	10,600	d, i
F-250/350 Reg Cab RWD SRW	6.8L V-10	12,500	e, i
F-250/350 Reg Cab RWD DRW	6.8L V-10	10,400	d, i
F-250/350 Reg Cab RWD DRW	6.8L V-10	13,900	e, i
F-250/350 Reg Cab 4WD SRW	6.8L V-10	10,200	d, i
F-250/350 Reg Cab 4WD SRW	6.8L V-10	12,500	e, i
F-250/350 Reg Cab 4WD DRW	6.8L V-10	9,900	d, i
F-250/350 Reg Cab 4WD DRW	6.8L V-10	13,400	e, i
F-250/350 Reg Cab RWD SRW	6.0L V-8 TDI	12,500	d, i
F-250/350 Reg Cab RWD DRW	6.0L V-8 TDI	13,400	d, i
F-250/350 Reg Cab RWD DRW	6.0L V-8 TDI	13,400	e, i
F-250/350 Reg Cab 4WD SRW	6.0L V-8 TDI	12,500	d, i
F-250/350 Reg Cab 4WD DRW	6.0L V-8 TDI	12,900	d, i
F-250/350 Reg Cab 4WD DRW	6.0L V-8 TDI	12,900	e, i
F-250/350 Reg Cab RWD SRW	5.4L V-8	7,800	d, j
F-250/350 Reg Cab RWD SRW	5.4L V-8	9,300	e, j
F-250/350 Reg Cab RWD DRW	5.4L V-8	7,600	d, j
F-250/350 Reg Cab RWD DRW	5.4L V-8	9,100	e, j
F-250/350 Reg Cab 4WD SRW	5.4L V-8	7,400	d, j
F-250/350 Reg Cab 4WD SRW	5.4L V-8	8,900	e, j
F-250/350 Reg Cab 4WD DRW	5.4L V-8	7,200	d, j
F-250/350 Reg Cab 4WD DRW	5.4L V-8	8,700	e, j
F-250/350 Reg Cab RWD SRW	6.8L V-10	11,200	d, j
F-250/350 Reg Cab RWD SRW	6.8L V-10	12,500	e, j
F-250/350 Reg Cab RWD DRW	6.8L V-10	10,900	d, j
F-250/350 Reg Cab RWD DRW	6.8L V-10	13,900	e, j
F-250/350 Reg Cab 4WD SRW	6.8L V-10	10,800	d, j
F-250/350 Reg Cab 4WD SRW	6.8L V-10	12,500	e, j
F-250/350 Reg Cab 4WD DRW	6.8L V-10	10,400	d, j
F-250/350 Reg Cab 4WD DRW	6.8L V-10	13,400	e, j
F-250/350 Reg Cab RWD SRW	6.0L V-8 TDI	12,500	d, j
F-250/350 Reg Cab RWD DRW	6.0L V-8 TDI	13,400	d, j
F-250/350 Reg Cab RWD DRW	6.0L V-8 TDI	13,400	e, j
F-250/350 Reg Cab 4WD SRW	6.0L V-8 TDI	12,500	d, j
F-250/350 Reg Cab 4WD DRW	6.0L V-8 TDI	13,000	d, j
F-250/350 Reg Cab 4WD DRW	6.0L V-8 TDI	13,000	e, j
F-250/350 SuperCab RWD SRW	5.4L V-8	7,400	d, i
F-250/350 SuperCab RWD SRW	5.4L V-8	8,900	e, i
F-250/350 SuperCab RWD DRW	5.4L V-8	7,200	d, i

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
F-250/350 SuperCab RWD DRW	5.4L V-8	8,700	e, i
F-250/350 SuperCab 4WD SRW	5.4L V-8	7,000	d, i
F-250/350 SuperCab 4WD SRW	5.4L V-8	8,500	e, i
F-250/350 SuperCab 4WD DRW	5.4L V-8	6,800	d, i
F-250/350 SuperCab 4WD DRW	5.4L V-8	8,300	e, i
F-250/350 SuperCab RWD SRW	6.8L V-10	10,300	d, i
F-250/350 SuperCab RWD SRW	6.8L V-10	12,500	e, i
F-250/350 SuperCab RWD DRW	6.8L V-10	10,000	d, i
F-250/350 SuperCab RWD DRW	6.8L V-10	13,500	e, i
F-250/350 SuperCab 4WD SRW	6.8L V-10	9,900	d, i
F-250/350 SuperCab 4WD SRW	6.8L V-10	12,500	e, i
F-250/350 SuperCab 4WD DRW	6.8L V-10	9,600	d, i
F-250/350 SuperCab 4WD DRW	6.8L V-10	13,100	e, i
F-250/350 SuperCab RWD SRW	6.0L V-8 TDI	12,500	d, i
F-250/350 SuperCab RWD DRW	6.0L V-8 TDI	13,000	d, i
F-250/350 SuperCab RWD DRW	6.0L V-8 TDI	13,000	e, i
F-250/350 SuperCab 4WD SRW	6.0L V-8 TDI	12,500	d, i
F-250/350 SuperCab 4WD DRW	6.0L V-8 TDI	12,600	d, i
F-250/350 SuperCab 4WD DRW	6.0L V-8 TDI	12,600	e, i
F-250/350 SuperCab RWD SRW	5.4L V-8	7,500	d, j
F-250/350 SuperCab RWD SRW	5.4L V-8	9,000	e, j
F-250/350 SuperCab RWD DRW	5.4L V-8	7,200	d, j
F-250/350 SuperCab RWD DRW	5.4L V-8	8,700	e, j
F-250/350 SuperCab 4WD SRW	5.4L V-8	7,100	d, j
F-250/350 SuperCab 4WD SRW	5.4L V-8	8,600	e, j
F-250/350 SuperCab 4WD DRW	5.4L V-8	6,800	d, j
F-250/350 SuperCab 4WD DRW	5.4L V-8	8,300	e, j
F-250/350 SuperCab RWD SRW	6.8L V-10	10,800	d, j
F-250/350 SuperCab RWD SRW	6.8L V-10	12,500	e, j
F-250/350 SuperCab RWD DRW	6.8L V-10	10,500	d, j
F-250/350 SuperCab RWD DRW	6.8L V-10	13,500	e, j
F-250/350 SuperCab 4WD SRW	6.8L V-10	10,400	d, j
F-250/350 SuperCab 4WD SRW	6.8L V-10	12,500	e, j
F-250/350 SuperCab 4WD DRW	6.8L V-10	10,100	d, j
F-250/350 SuperCab 4WD DRW	6.8L V-10	13,100	e, j
F-250/350 SuperCab RWD SRW	6.0L V-8 TDI	12,500	d, j
F-250/350 SuperCab RWD DRW	6.0L V-8 TDI	13,000	d, j
F-250/350 SuperCab RWD DRW	6.0L V-8 TDI	13,000	e, j
F-250/350 SuperCab 4WD SRW	6.0L V-8 TDI	12,500	d, j
F-250/350 SuperCab 4WD DRW	6.0L V-8 TDI	12,600	d, j
F-250/350 SuperCab 4WD DRW	6.0L V-8 TDI	12,600	e, j
F-250/350 Crew Cab RWD SRW	5.4L V-8	7,200	d, i
F-250/350 Crew Cab RWD SRW	5.4L V-8	8,700	e, i
F-250/350 Crew Cab 4WD SRW	5.4L V-8	6,800	d, i
F-250/350 Crew Cab 4WD SRW	5.4L V-8	8,300	e, i
F-250/350 Crew Cab RWD SRW	6.8L V-10	10,100	d, i
F-250/350 Crew Cab RWD SRW	6.8L V-10	12,500	e, i
F-250/350 Crew Cab RWD DRW	6.8L V-10	9,800	d, i
F-250/350 Crew Cab RWD DRW	6.8L V-10	13,300	e, i
F-250/350 Crew Cab 4WD SRW	6.8L V-10	9,700	d, i
F-250/350 Crew Cab 4WD SRW	6.8L V-10	12,500	e, i
F-250/350 Crew Cab 4WD DRW	6.8L V-10	9,300	d, i
F-250/350 Crew Cab 4WD DRW	6.8L V-10	12,800	e, i
F-250/350 Crew Cab RWD SRW	6.0L V-8 TDI	12,500	d, i
F-250/350 Crew Cab RWD DRW	6.0L V-8 TDI	12,800	d, i
F-250/350 Crew Cab RWD DRW	6.0L V-8 TDI	12,800	e, i
F-250/350 Crew Cab 4WD SRW	6.0L V-8 TDI	12,500	d, i
F-250/350 Crew Cab 4WD DRW	6.0L V-8 TDI	12,400	d, i
F-250/350 Crew Cab 4WD DRW	6.0L V-8 TDI	12,400	e, i

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
F-250/350 Crew Cab RWD SRW	5.4L V-8	7,200	d, j
F-250/350 Crew Cab RWD SRW	5.4L V-8	8,700	e, j
F-250/350 Crew Cab 4WD SRW	5.4L V-8	6,900	d, j
F-250/350 Crew Cab 4WD SRW	5.4L V-8	8,400	e, j
F-250/350 Crew Cab RWD SRW	6.8L V-10	10,600	d, j
F-250/350 Crew Cab RWD SRW	6.8L V-10	12,500	f, j
F-250/350 Crew Cab RWD DRW	6.8L V-10	10,300	d, j
F-250/350 Crew Cab RWD DRW	6.8L V-10	13,300	f, j
F-250/350 Crew Cab 4WD SRW	6.8L V-10	10,200	d, j
F-250/350 Crew Cab 4WD SRW	6.8L V-10	12,500	f, j
F-250/350 Crew Cab 4WD DRW	6.8L V-10	9,900	d, j
F-250/350 Crew Cab 4WD DRW	6.8L V-10	12,900	f, j
F-250/350 Crew Cab RWD SRW	6.0L V-8 TDI	12,500	d, j
F-250/350 Crew Cab RWD DRW	6.0L V-8 TDI	12,800	d, j
F-250/350 Crew Cab RWD DRW	6.0L V-8 TDI	12,800	e, j
F-250/350 Crew Cab 4WD SRW	6.0L V-8 TDI	12,500	d, j
F-250/350 Crew Cab 4WD DRW	6.0L V-8 TDI	12,400	d, j
F-250/350 Crew Cab 4WD DRW	6.0L V-8 TDI	12,400	e, j

NOTE: For F-250/350 SRW models, F-350 trailer weights are shown. F-250 trailer weights are within 100 lb.

Super Duty F-250/350 — Fifth-Wheel Towing			
MODEL	ENGINE	TOW LIMIT (lb)	NOTES
F-250/350 Reg Cab RWD SRW	5.4L V-8	7,800	d, i
F-250/350 Reg Cab RWD SRW	5.4L V-8	9,300	e, i
F-250/350 Reg Cab RWD DRW	5.4L V-8	7,600	d, i
F-250/350 Reg Cab RWD DRW	5.4L V-8	9,100	e, i
F-250/350 Reg Cab 4WD SRW	5.4L V-8	7,400	d, i
F-250/350 Reg Cab 4WD SRW	5.4L V-8	8,900	e, i
F-250/350 Reg Cab 4WD DRW	5.4L V-8	7,100	d, i
F-250/350 Reg Cab 4WD DRW	5.4L V-8	8,600	e, i
F-250/350 Reg Cab RWD SRW	6.8L V-10	10,600	d, i
F-250/350 Reg Cab RWD SRW	6.8L V-10	14,100	f, i
F-250/350 Reg Cab RWD DRW	6.8L V-10	10,400	d, i
F-250/350 Reg Cab RWD DRW	6.8L V-10	13,900	f, i
F-250/350 Reg Cab 4WD SRW	6.8L V-10	10,200	d, i
F-250/350 Reg Cab 4WD SRW	6.8L V-10	13,700	f, i
F-250/350 Reg Cab 4WD DRW	6.8L V-10	9,900	d, i
F-250/350 Reg Cab 4WD DRW	6.8L V-10	13,400	f, i
F-250/350 Reg Cab RWD SRW	6.0L V-8 TDI	13,600	d, i
F-250/350 Reg Cab RWD DRW	6.0L V-8 TDI	13,400	d, i
F-250/350 Reg Cab RWD DRW	6.0L V-8 TDI	13,400	e, i
F-250/350 Reg Cab 4WD SRW	6.0L V-8 TDI	13,300	d, i
F-250/350 Reg Cab 4WD DRW	6.0L V-8 TDI	12,900	d, i
F-250/350 Reg Cab 4WD DRW	6.0L V-8 TDI	12,900	e, i
F-250/350 Reg Cab RWD SRW	5.4L V-8	7,800	d, j
F-250/350 Reg Cab RWD SRW	5.4L V-8	9,300	e, j
F-250/350 Reg Cab RWD DRW	5.4L V-8	7,600	d, j
F-250/350 Reg Cab RWD DRW	5.4L V-8	9,100	e, j
F-250/350 Reg Cab 4WD SRW	5.4L V-8	7,400	d, j
F-250/350 Reg Cab 4WD SRW	5.4L V-8	8,900	e, j
F-250/350 Reg Cab 4WD DRW	5.4L V-8	7,200	d, j
F-250/350 Reg Cab 4WD DRW	5.4L V-8	8,700	e, j
F-250/350 Reg Cab RWD SRW	6.8L V-10	11,200	d, j
F-250/350 Reg Cab RWD SRW	6.8L V-10	14,200	f, j
F-250/350 Reg Cab RWD DRW	6.8L V-10	10,900	d, j
F-250/350 Reg Cab RWD DRW	6.8L V-10	13,900	f, j
F-250/350 Reg Cab 4WD SRW	6.8L V-10	10,800	d, j
F-250/350 Reg Cab 4WD SRW	6.8L V-10	13,800	f, j
F-250/350 Reg Cab 4WD DRW	6.8L V-10	10,400	d, j

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
F-250/350 Reg Cab 4WD DRW	6.8L V-10	13,400	f, j
F-250/350 Reg Cab RWD SRW	6.0L V-8 TDI	13,700	d, j
F-250/350 Reg Cab RWD DRW	6.0L V-8 TDI	13,400	d, j
F-250/350 Reg Cab RWD DRW	6.0L V-8 TDI	13,400	e, j
F-250/350 Reg Cab 4WD SRW	6.0L V-8 TDI	13,300	d, j
F-250/350 Reg Cab 4WD DRW	6.0L V-8 TDI	13,000	d, j
F-250/350 Reg Cab 4WD DRW	6.0L V-8 TDI	13,000	e, j
F-250/350 SuperCab RWD SRW	5.4L V-8	7,400	d, i
F-250/350 SuperCab RWD SRW	5.4L V-8	8,900	e, i
F-250/350 SuperCab RWD DRW	5.4L V-8	7,200	d, i
F-250/350 SuperCab RWD DRW	5.4L V-8	8,700	e, i
F-250/350 SuperCab 4WD SRW	5.4L V-8	7,000	d, i
F-250/350 SuperCab 4WD SRW	5.4L V-8	8,500	e, i
F-250/350 SuperCab 4WD DRW	5.4L V-8	6,800	d, i
F-250/350 SuperCab 4WD DRW	5.4L V-8	8,300	e, i
F-250/350 SuperCab RWD SRW	6.8L V-10	10,300	d, i
F-250/350 SuperCab RWD SRW	6.8L V-10	13,800	f, i
F-250/350 SuperCab RWD DRW	6.8L V-10	10,000	d, i
F-250/350 SuperCab RWD DRW	6.8L V-10	13,500	f, i
F-250/350 SuperCab 4WD SRW	6.8L V-10	9,900	d, i
F-250/350 SuperCab 4WD SRW	6.8L V-10	13,400	f, i
F-250/350 SuperCab 4WD DRW	6.8L V-10	9,600	d, i
F-250/350 SuperCab 4WD DRW	6.8L V-10	13,100	f, i
F-250/350 SuperCab RWD SRW	6.0L V-8 TDI	13,300	d, i
F-250/350 SuperCab RWD DRW	6.0L V-8 TDI	13,000	d, i
F-250/350 SuperCab RWD DRW	6.0L V-8 TDI	13,000	e, i
F-250/350 SuperCab 4WD SRW	6.0L V-8 TDI	12,900	d, i, p
F-250/350 SuperCab 4WD DRW	6.0L V-8 TDI	12,600	d, i
F-250/350 SuperCab 4WD DRW	6.0L V-8 TDI	12,600	e, i
F-250/350 SuperCab RWD SRW	5.4L V-8	7,500	d, j
F-250/350 SuperCab RWD SRW	5.4L V-8	9,000	e, j
F-250/350 SuperCab RWD DRW	5.4L V-8	7,200	d, j
F-250/350 SuperCab RWD DRW	5.4L V-8	8,700	e, j
F-250/350 SuperCab 4WD SRW	5.4L V-8	7,100	d, j
F-250/350 SuperCab 4WD SRW	5.4L V-8	8,600	e, j
F-250/350 SuperCab 4WD DRW	5.4L V-8	6,800	d, j
F-250/350 SuperCab 4WD DRW	5.4L V-8	8,300	e, j
F-250/350 SuperCab RWD SRW	6.8L V-10	10,800	d, j
F-250/350 SuperCab RWD SRW	6.8L V-10	13,800	f, j
F-250/350 SuperCab RWD DRW	6.8L V-10	10,500	d, j
F-250/350 SuperCab RWD DRW	6.8L V-10	13,500	f, j
F-250/350 SuperCab 4WD SRW	6.8L V-10	10,400	d, j
F-250/350 SuperCab 4WD SRW	6.8L V-10	13,400	f, j
F-250/350 SuperCab 4WD DRW	6.8L V-10	10,100	d, j
F-250/350 SuperCab 4WD DRW	6.8L V-10	13,100	f, j
F-250/350 SuperCab RWD SRW	6.0L V-8 TDI	13,300	d, j
F-250/350 SuperCab RWD DRW	6.0L V-8 TDI	13,000	d, j
F-250/350 SuperCab RWD DRW	6.0L V-8 TDI	13,000	e, j
F-250/350 SuperCab 4WD SRW	6.0L V-8 TDI	13,000	d, j, p
F-250/350 SuperCab 4WD DRW	6.0L V-8 TDI	12,600	d, j
F-250/350 SuperCab 4WD DRW	6.0L V-8 TDI	12,600	e, j
F-250/350 Crew Cab RWD SRW	5.4L V-8	7,200	d, i
F-250/350 Crew Cab RWD SRW	5.4L V-8	8,700	e, i
F-250/350 Crew Cab 4WD SRW	5.4L V-8	6,800	d, i
F-250/350 Crew Cab 4WD SRW	5.4L V-8	8,300	e, i
F-250/350 Crew Cab RWD SRW	6.8L V-10	10,100	d, i
F-250/350 Crew Cab RWD SRW	6.8L V-10	13,600	f, i
F-250/350 Crew Cab RWD DRW	6.8L V-10	9,800	d, i
F-250/350 Crew Cab RWD DRW	6.8L V-10	13,300	f, i

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
F-250/350 Crew Cab 4WD SRW	6.8L V-10	9,700	d, i
F-250/350 Crew Cab 4WD SRW	6.8L V-10	13,200	f, i
F-250/350 Crew Cab 4WD DRW	6.8L V-10	9,300	d, i
F-250/350 Crew Cab 4WD DRW	6.8L V-10	12,800	f, i
F-250/350 Crew Cab RWD SRW	6.0L V-8 TDI	12,900	d, i
F-250/350 Crew Cab RWD DRW	6.0L V-8 TDI	12,800	d, i
F-250/350 Crew Cab RWD DRW	6.0L V-8 TDI	12,800	e, i
F-250/350 Crew Cab 4WD SRW	6.0L V-8 TDI	12,700	d, i, p
F-250/350 Crew Cab 4WD DRW	6.0L V-8 TDI	12,400	d, i
F-250/350 Crew Cab 4WD DRW	6.0L V-8 TDI	12,400	e, i
F-250/350 Crew Cab RWD SRW	5.4L V-8	7,200	d, i
F-250/350 Crew Cab RWD SRW	5.4L V-8	8,700	e, i
F-250/350 Crew Cab 4WD SRW	5.4L V-8	6,800	d, i
F-250/350 Crew Cab 4WD SRW	5.4L V-8	8,300	e, i
F-250/350 Crew Cab RWD SRW	6.8L V-10	10,100	d, i
F-250/350 Crew Cab RWD SRW	6.8L V-10	13,600	f, i
F-250/350 Crew Cab RWD DRW	6.8L V-10	9,800	d, i
F-250/350 Crew Cab RWD DRW	6.8L V-10	13,300	f, i
F-250/350 Crew Cab 4WD SRW	6.8L V-10	9,700	d, i
F-250/350 Crew Cab 4WD SRW	6.8L V-10	13,200	f, i
F-250/350 Crew Cab 4WD DRW	6.8L V-10	9,300	d, i
F-250/350 Crew Cab 4WD DRW	6.8L V-10	12,800	f, i
F-250/350 Crew Cab RWD SRW	6.0L V-8 TDI	12,900	d, i
F-250/350 Crew Cab RWD DRW	6.0L V-8 TDI	12,800	d, i
F-250/350 Crew Cab RWD DRW	6.0L V-8 TDI	12,800	e, i
F-250/350 Crew Cab 4WD SRW	6.0L V-8 TDI	12,700	d, i, p
F-250/350 Crew Cab 4WD DRW	6.0L V-8 TDI	12,400	d, i, p
F-250/350 Crew Cab 4WD DRW	6.0L V-8 TDI	12,400	e, i
F-250/350 Crew Cab RWD SRW	5.4L V-8	7,200	d, j
F-250/350 Crew Cab RWD SRW	5.4L V-8	8,700	e, j
F-250/350 Crew Cab 4WD SRW	5.4L V-8	6,900	d, j
F-250/350 Crew Cab 4WD SRW	5.4L V-8	8,400	e, j
F-250/350 Crew Cab RWD SRW	6.8L V-10	10,600	d, j
F-250/350 Crew Cab RWD SRW	6.8L V-10	13,600	f, j
F-250/350 Crew Cab RWD DRW	6.8L V-10	10,300	d, j
F-250/350 Crew Cab RWD DRW	6.8L V-10	13,300	f, j
F-250/350 Crew Cab 4WD SRW	6.8L V-10	10,200	d, j
F-250/350 Crew Cab 4WD SRW	6.8L V-10	13,200	f, j
F-250/350 Crew Cab 4WD DRW	6.8L V-10	9,900	d, j
F-250/350 Crew Cab 4WD DRW	6.8L V-10	12,900	f, j
F-250/350 Crew Cab RWD SRW	6.0L V-8 TDI	13,100	d, j
F-250/350 Crew Cab RWD DRW	6.0L V-8 TDI	12,800	d, j
F-250/350 Crew Cab RWD DRW	6.0L V-8 TDI	12,800	e, j
F-250/350 Crew Cab 4WD SRW	6.0L V-8 TDI	12,700	d, j, p
F-250/350 Crew Cab 4WD DRW	6.0L V-8 TDI	12,400	d, j
F-250/350 Crew Cab 4WD DRW	6.0L V-8 TDI	12,400	e, j

NOTE: For F-250/350 SRW models, F-350 trailer weights are shown. F-250 trailer weights are within 100 lb.

Super Duty F-350/450/550 Cab & Chassis — Fifth-Wheel Towing

F-350 Reg Cab RWD SRW	5.4L V-8	7,200	d, i
F-350 Reg Cab RWD SRW	5.4L V-8	8,700	e, i
F-350 Reg Cab RWD SRW	5.4L V-8	7,300	d, j
F-350 Reg Cab RWD SRW	5.4L V-8	8,800	e, j
F-350 Reg Cab RWD SRW	6.8L V-10	10,100	d, i
F-350 Reg Cab RWD SRW	6.8L V-10	10,600	d, j
F-350 Reg Cab RWD SRW	6.0L V-8 TDI	13,100	d, i
F-350 Reg Cab RWD SRW	6.0L V-8 TDI	13,100	d, j
F-350 Reg Cab RWD DRW	5.4L V-8	7,000	d, i

MODEL	ENGINE	TOW LIMIT (lb)	NOTES	MODEL	ENGINE	TOW LIMIT (lb)	NOTES
F-350 Reg Cab RWD DRW	5.4L V-8	8,500	e, i	F-350 SuperCab RWD SRW	5.4L V-8	6,900	d, i
F-350 Reg Cab RWD DRW	5.4L V-8	7,000	d, j	F-350 SuperCab RWD SRW	5.4L V-8	8,400	e, i
F-350 Reg Cab RWD DRW	5.4L V-8	8,500	e, j	F-350 SuperCab RWD SRW	5.4L V-8	6,900	d, j
F-350 Reg Cab RWD DRW	6.8L V-10	9,800	d, i	F-350 SuperCab RWD SRW	5.4L V-8	8,400	e, j
F-350 Reg Cab RWD DRW	6.8L V-10	10,300	d, j	F-350 SuperCab RWD SRW	6.8L V-10	9,700	d, i
F-350 Reg Cab RWD DRW	6.8L V-10	13,300	e, j	F-350 SuperCab RWD SRW	6.8L V-10	10,300	d, j
F-350 Reg Cab RWD DRW	6.8L V-10	13,300	f, i	F-350 SuperCab RWD SRW	6.0L V-8 TDI	12,700	d, i
F-350 Reg Cab RWD DRW	6.0L V-8 TDI	12,800	d, i	F-350 SuperCab RWD SRW	6.0L V-8 TDI	12,800	d, j
F-350 Reg Cab RWD DRW	6.0L V-8 TDI	12,800	e, i	F-350 SuperCab RWD DRW	6.8L V-10	9,500	d, i
F-350 Reg Cab RWD DRW	6.0L V-8 TDI	12,900	d, j	F-350 SuperCab RWD DRW	6.8L V-10	10,000	d, j
F-350 Reg Cab RWD DRW	6.0L V-8 TDI	12,900	e, j	F-350 SuperCab RWD DRW	6.8L V-10	13,000	f, i
F-350 Reg Cab 4WD SRW	5.4L V-8	6,800	d, i	F-350 SuperCab RWD DRW	6.8L V-10	13,000	f, j
F-350 Reg Cab 4WD SRW	5.4L V-8	8,300	e, i	F-350 SuperCab RWD DRW	6.0L V-8 TDI	12,500	d, i
F-350 Reg Cab 4WD SRW	5.4L V-8	6,800	d, j	F-350 SuperCab RWD DRW	6.0L V-8 TDI	12,500	d, j
F-350 Reg Cab 4WD SRW	5.4L V-8	8,300	e, j	F-350 SuperCab RWD DRW	6.0L V-8 TDI	12,500	e, i
F-350 Reg Cab 4WD SRW	6.8L V-10	9,700	d, i	F-350 SuperCab RWD DRW	6.0L V-8 TDI	12,500	e, j
F-350 Reg Cab 4WD SRW	6.8L V-10	10,200	d, j	F-350 SuperCab 4WD SRW	5.4L V-8	6,400	d, i
F-350 Reg Cab 4WD SRW	6.0L V-8 TDI	12,700	d, i	F-350 SuperCab 4WD SRW	5.4L V-8	7,900	e, i
F-350 Reg Cab 4WD SRW	6.0L V-8 TDI	12,700	d, j	F-350 SuperCab 4WD SRW	5.4L V-8	6,500	d, j
F-350 Reg Cab 4WD DRW	5.4L V-8	6,500	d, i	F-350 SuperCab 4WD SRW	5.4L V-8	8,000	e, j
F-350 Reg Cab 4WD DRW	5.4L V-8	8,000	e, i	F-350 SuperCab 4WD SRW	6.8L V-10	9,300	d, i
F-350 Reg Cab 4WD DRW	5.4L V-8	6,500	d, j	F-350 SuperCab 4WD SRW	6.8L V-10	9,800	d, j
F-350 Reg Cab 4WD DRW	5.4L V-8	8,000	e, j	F-350 SuperCab 4WD SRW	6.0L V-8 TDI	12,300	d, i
F-350 Reg Cab 4WD DRW	6.8L V-10	9,300	d, i	F-350 SuperCab 4WD SRW	6.0L V-8 TDI	12,300	d, j
F-350 Reg Cab 4WD DRW	6.8L V-10	9,800	d, j	F-350 SuperCab 4WD DRW	6.8L V-10	9,000	d, i
F-350 Reg Cab 4WD DRW	6.8L V-10	12,800	e, j	F-350 SuperCab 4WD DRW	6.8L V-10	9,500	d, j
F-350 Reg Cab 4WD DRW	6.8L V-10	12,800	f, i	F-350 SuperCab 4WD DRW	6.8L V-10	12,500	f, i
F-350 Reg Cab 4WD DRW	6.0L V-8 TDI	12,300	d, i	F-350 SuperCab 4WD DRW	6.8L V-10	12,500	f, j
F-350 Reg Cab 4WD DRW	6.0L V-8 TDI	12,300	d, j	F-350 SuperCab 4WD DRW	6.0L V-8 TDI	12,000	d, i
F-350 Reg Cab 4WD DRW	6.0L V-8 TDI	12,300	e, i	F-350 SuperCab 4WD DRW	6.0L V-8 TDI	12,000	e, i
F-350 Reg Cab 4WD DRW	6.0L V-8 TDI	12,300	e, j	F-350 SuperCab 4WD DRW	6.0L V-8 TDI	12,100	d, j
F-450 Reg Cab RWD DRW	6.8L V-10	14,600	g, i	F-350 SuperCab 4WD DRW	6.0L V-8 TDI	12,100	e, j
F-450 Reg Cab RWD DRW	6.8L V-10	14,600	h, i	F-450 SuperCab RWD DRW	6.8L V-10	14,200	g, i
F-450 Reg Cab RWD DRW	6.8L V-10	16,600	g, j	F-450 SuperCab RWD DRW	6.8L V-10	14,200	h, i
F-450 Reg Cab RWD DRW	6.8L V-10	18,600	h, j	F-450 SuperCab RWD DRW	6.8L V-10	16,200	g, j
F-450 Reg Cab RWD DRW	6.0L V-8 TDI	18,100	f, i	F-450 SuperCab RWD DRW	6.8L V-10	18,200	h, j
F-450 Reg Cab RWD DRW	6.0L V-8 TDI	18,100	f, j	F-450 SuperCab RWD DRW	6.0L V-8 TDI	17,700	f, i
F-450 Reg Cab RWD DRW	6.0L V-8 TDI	18,100	g, i	F-450 SuperCab RWD DRW	6.0L V-8 TDI	17,700	f, j
F-450 Reg Cab RWD DRW	6.0L V-8 TDI	18,100	g, j	F-450 SuperCab RWD DRW	6.0L V-8 TDI	17,700	g, i
F-450 Reg Cab 4WD DRW	6.8L V-10	14,200	g, i	F-450 SuperCab RWD DRW	6.0L V-8 TDI	17,700	g, j
F-450 Reg Cab 4WD DRW	6.8L V-10	14,200	h, i	F-450 SuperCab RWD DRW	6.8L V-10	13,900	g, i
F-450 Reg Cab 4WD DRW	6.8L V-10	16,300	g, j	F-450 SuperCab RWD DRW	6.8L V-10	13,900	h, i
F-450 Reg Cab 4WD DRW	6.8L V-10	18,300	h, j	F-450 SuperCab RWD DRW	6.8L V-10	15,900	g, j
F-450 Reg Cab 4WD DRW	6.0L V-8 TDI	17,700	f, i	F-450 SuperCab RWD DRW	6.8L V-10	17,900	h, j
F-450 Reg Cab 4WD DRW	6.0L V-8 TDI	17,700	g, i	F-450 SuperCab RWD DRW	6.0L V-8 TDI	17,400	f, i
F-450 Reg Cab 4WD DRW	6.0L V-8 TDI	17,800	f, j	F-450 SuperCab RWD DRW	6.0L V-8 TDI	17,400	f, j
F-450 Reg Cab 4WD DRW	6.0L V-8 TDI	17,800	g, j	F-450 SuperCab RWD DRW	6.0L V-8 TDI	17,400	g, i
F-550 Reg Cab RWD DRW	6.8L V-10	14,500	g, i	F-450 SuperCab RWD DRW	6.0L V-8 TDI	17,400	g, j
F-550 Reg Cab RWD DRW	6.8L V-10	14,500	h, i	F-550 SuperCab RWD DRW	6.8L V-10	14,100	g, i
F-550 Reg Cab RWD DRW	6.8L V-10	16,500	g, j	F-550 SuperCab RWD DRW	6.8L V-10	14,100	h, i
F-550 Reg Cab RWD DRW	6.8L V-10	18,500	h, j	F-550 SuperCab RWD DRW	6.8L V-10	16,200	g, j
F-550 Reg Cab RWD DRW	6.0L V-8 TDI	18,000	g, i	F-550 SuperCab RWD DRW	6.8L V-10	18,200	h, j
F-550 Reg Cab RWD DRW	6.0L V-8 TDI	18,000	g, j	F-550 SuperCab RWD DRW	6.0L V-8 TDI	17,600	g, i
F-550 Reg Cab 4WD DRW	6.8L V-10	14,100	g, i	F-550 SuperCab RWD DRW	6.0L V-8 TDI	17,700	g, j
F-550 Reg Cab 4WD DRW	6.8L V-10	14,100	h, i	F-550 SuperCab 4WD DRW	6.8L V-10	13,800	g, i
F-550 Reg Cab 4WD DRW	6.8L V-10	16,200	g, j	F-550 SuperCab 4WD DRW	6.8L V-10	13,800	h, i
F-550 Reg Cab 4WD DRW	6.8L V-10	18,200	h, j	F-550 SuperCab 4WD DRW	6.8L V-10	15,800	g, j
F-550 Reg Cab 4WD DRW	6.0L V-8 TDI	17,700	g, i	F-550 SuperCab 4WD DRW	6.8L V-10	17,800	h, j
F-550 Reg Cab 4WD DRW	6.0L V-8 TDI	17,700	g, j	F-550 SuperCab 4WD DRW	6.0L V-8 TDI	17,300	g, i

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
F-550 SuperCab 4WD DRW	6.0LV-8 TDI	17,300	g, j
F-350 Crew Cab RWD SRW	5.4LV-8	6,700	d, i
F-350 Crew Cab RWD SRW	5.4LV-8	8,200	e, i
F-350 Crew Cab RWD SRW	5.4LV-8	6,700	d, j
F-350 Crew Cab RWD SRW	5.4LV-8	8,200	e, j
F-350 Crew Cab RWD SRW	6.8LV-10	9,500	d, i
F-350 Crew Cab RWD SRW	6.8LV-10	10,100	d, j
F-350 Crew Cab RWD SRW	6.0LV-8 TDI	12,500	d, i
F-350 Crew Cab RWD SRW	6.0LV-8 TDI	12,600	d, j
F-350 Crew Cab RWD DRW	6.8LV-10	9,200	d, i
F-350 Crew Cab RWD DRW	6.8LV-10	9,700	d, j
F-350 Crew Cab RWD DRW	6.8LV-10	12,700	f, j
F-350 Crew Cab RWD DRW	6.8LV-10	12,700	f, i
F-350 Crew Cab RWD DRW	6.0LV-8 TDI	12,200	d, i
F-350 Crew Cab RWD DRW	6.0LV-8 TDI	12,200	e, i
F-350 Crew Cab RWD DRW	6.0LV-8 TDI	12,300	d, j
F-350 Crew Cab RWD DRW	6.0LV-8 TDI	12,300	e, j
F-350 Crew Cab 4WD SRW	5.4LV-8	6,200	d, i
F-350 Crew Cab 4WD SRW	5.4LV-8	7,700	e, i
F-350 Crew Cab 4WD SRW	5.4LV-8	6,300	d, j
F-350 Crew Cab 4WD SRW	5.4LV-8	7,800	e, j
F-350 Crew Cab 4WD SRW	6.8LV-10	9,100	d, i
F-350 Crew Cab 4WD SRW	6.8LV-10	9,600	d, j
F-350 Crew Cab 4WD SRW	6.0LV-8 TDI	12,100	d, i
F-350 Crew Cab 4WD SRW	6.0LV-8 TDI	12,100	d, j
F-350 Crew Cab 4WD DRW	6.8LV-10	8,700	d, i
F-350 Crew Cab 4WD DRW	6.8LV-10	9,300	d, j
F-350 Crew Cab 4WD DRW	6.8LV-10	12,200	f, i
F-350 Crew Cab 4WD DRW	6.8LV-10	12,300	f, j
F-350 Crew Cab 4WD DRW	6.0LV-8 TDI	11,700	d, i
F-350 Crew Cab 4WD DRW	6.0LV-8 TDI	11,700	e, i
F-350 Crew Cab 4WD DRW	6.0LV-8 TDI	11,800	d, j
F-350 Crew Cab 4WD DRW	6.0LV-8 TDI	11,800	e, j
F-450 Crew Cab RWD DRW	6.8LV-10	14,000	g, i
F-450 Crew Cab RWD DRW	6.8LV-10	14,000	h, i
F-450 Crew Cab RWD DRW	6.8LV-10	16,000	g, j
F-450 Crew Cab RWD DRW	6.8LV-10	18,000	h, j
F-450 Crew Cab RWD DRW	6.0LV-8 TDI	17,500	f, i
F-450 Crew Cab RWD DRW	6.0LV-8 TDI	17,500	f, j
F-450 Crew Cab RWD DRW	6.0LV-8 TDI	17,500	g, i
F-450 Crew Cab RWD DRW	6.0LV-8 TDI	17,500	g, j
F-450 Crew Cab 4WD DRW	6.8LV-10	13,700	g, i
F-450 Crew Cab 4WD DRW	6.8LV-10	13,700	h, i
F-450 Crew Cab 4WD DRW	6.8LV-10	15,700	g, j
F-450 Crew Cab 4WD DRW	6.8LV-10	17,700	h, j
F-450 Crew Cab 4WD DRW	6.0LV-8 TDI	17,200	f, i
F-450 Crew Cab 4WD DRW	6.0LV-8 TDI	17,200	f, j
F-450 Crew Cab 4WD DRW	6.0LV-8 TDI	17,200	g, i
F-450 Crew Cab 4WD DRW	6.0LV-8 TDI	17,200	g, j
F-550 Crew Cab RWD DRW	6.8LV-10	13,900	g, i
F-550 Crew Cab RWD DRW	6.8LV-10	13,900	h, i
F-550 Crew Cab RWD DRW	6.8LV-10	15,900	g, j
F-550 Crew Cab RWD DRW	6.8LV-10	17,900	h, j
F-550 Crew Cab RWD DRW	6.0LV-8 TDI	17,400	g, i
F-550 Crew Cab RWD DRW	6.0LV-8 TDI	17,400	g, j
F-550 Crew Cab RWD DRW	6.0LV-8 TDI	21,400	g, j, q
F-550 Crew Cab 4WD DRW	6.8LV-10	13,600	g, i
F-550 Crew Cab 4WD DRW	6.8LV-10	13,600	h, i
F-550 Crew Cab 4WD DRW	6.8LV-10	15,600	g, j

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
F-550 Crew Cab 4WD DRW	6.8LV-10	17,600	h, j
F-550 Crew Cab 4WD DRW	6.0LV-8 TDI	17,000	g, i
F-550 Crew Cab 4WD DRW	6.0LV-8 TDI	17,100	g, j

Notes for all Ford/Mercury Products:

a = 3.08:1 axle ratio; **b** = 3.31:1 axle ratio; **c** = 3.55:1 axle ratio; **d** = 3.73:1 axle ratio; **e** = 4.09/4.10:1 axle ratio; **f** = 4.30:1 axle ratio; **g** = 4.88:1 axle ratio; **h** = 5.38:1 axle ratio; **i** = manual transmission; **j** = automatic transmission; **k** = with 16-inch or P275 17-inch tires; **l** = with P265 17-inch tires; **m** = when operated on LP-gas; **n** = when operated on Compressed natural gas; **o** = reduce max. trailer weight by 500 lb on models with 18-inch wheels; **p** = maximum loaded trailer weight for F-250 SuperCrew 4WD SRW is 12,000 lb; **q** = with towing package; **r** = 2,740 lb with FX4 Level II; **s** = 5,200 lb with FX4 Level II; **t** = Ranger Edge only; **u** = 3,320 lb for Ranger Edge; **v** = with Class II hitch; **w** = with Class III/IV hitch; **x** = deduct 500 lb with auxiliary climate-control option; **y** = Compressed natural-gas fuel version; **z** = Bi-Fuel version.

HONDA

Odyssey LX, EX	3.5LV-6	3,500	a
Pilot LX, EX	3.5LV-6	3,500	a, b

a = Requires surge-type or electric trailer brakes, load-distribution hitch and transmission oil cooler; **b** = Boat towing capacity is 4,500 lb.

HUMMER

Hummer H1 4dr Open Top	6.5LV-8 TDI	8,050	
Hummer H1 Station Wagon	6.5LV-8 TDI	7,710	
Hummer H2	6.0LV-8	6,700	d, f

HYUNDAI

Santa Fe RWD	2.4L I-4	1,700	a
Santa Fe RWD	2.7LV-6	3,200	a
Santa Fe RWD	3.5LV-6	3,300	a
Santa Fe 4WD	2.7LV-6	2,700	a
Santa Fe 4WD	3.5LV-6	2,800	a

a = With trailer brakes, 2 passengers.

INFINITI

FX 35/45	All	3,500	
----------	-----	-------	--

ISUZU

Ascender RWD	4.2L I-6	5,500	a
Ascender RWD	5.3LV-8	6,800	a
Ascender 4WD	4.2L I-6	5,300	a
Ascender 4WD	5.3LV-8	6,300	a
Axiom	3.5LV-6	7,000	
Rodeo	3.2LV-6	4,500	a
Rodeo/Rodeo Sport	2.2L I-4	2,500	
Rodeo Sport	3.2LV-6	4,500	a

a = Trailer brakes required for trailers over 3,500 lb.

KIA

Sedona	3.5LV-6	3,500	
Sorento	3.5LV-6	3,500	

LAND ROVER

Discovery Series II	4.6L	5,500	a
Freelander	2.5LV-6	2,500	
Range Rover	4.4LV-8	7,700	b

a = Deduct 3,850 lb for trailers without brakes; **b** = In low range, 6,500 in high range.

LEXUS

GX 470	4.7LV-8	5,000	
--------	---------	-------	--

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
LX 470	4.7L V-8	6,500	b
RX 330	3.3L V-6	3,500	a

a = Tow Prep package required; b = 5,000 lb without out Tow Prep package.

LINCOLN

Aviator RWD/AWD	4.6L V-8	7,300/7,100	
Navigator RWD/4WD	5.4L V-8	8,600/8,300	a/a

a = Requires Class III/IV Trailer Tow Package w/load-equalizing hitch.

MAZDA

B2300 Reg Cab RWD	2.3L I-4	2,260	c, e
B3000 Reg Cab 4WD	3.0L V-6	2,560	c, d
B3000 Reg Cab 4WD	3.0L V-6	2,520	c, e
B3000 Cab Plus/Cab Plus 4 RWD	3.0L V-6	2,480	b, d
B3000 Cab Plus/Cab Plus 4 RWD	3.0L V-6	2,440	b, e
B3000 Cab Plus/Cab Plus 4 4WD	3.0L V-6	2,380	c, d
B3000 Cab Plus/Cab Plus 4 4WD	3.0L V-6	2,340	c, e
B4000 Cab Plus/Cab Plus 4 RWD	4.0L V-6	3,320	a, d
B4000 Cab Plus/Cab Plus 4 RWD	4.0L V-6	5,760	a, e
B4000 Cab Plus/Cab Plus 4 4WD	4.0L V-6	3,120	c, d
B4000 Cab Plus/Cab Plus 4 4WD	4.0L V-6	5,580	c, e
Tribute	3.0L V-6	3,500	e, f

a = 3.55:1 Axle Ratio; b = 3.73:1 Axle Ratio; c = 4.10:1 Axle Ratio; d = Manual Transmission; e = Automatic Transmission; f = 2,000 lb without towing package.

MERCEDES-BENZ

G500	5.0L V-8	7,000	
G55AMG	5.4L V-8	7,000	
ML350	3.7L V-6	5,000	
ML500	5.0L V-8	5,000	

MITSUBISHI

Montero/Montero Sport	All	5,000	a
Endeavor FWD	3.8L V-6	2,000	b
Endeavor AWD	3.8L V-6	3,500	b

a = Deduct 3,500 lb for trailers without brakes; b = Towing Prep package required.

NISSAN

Frontier	2.4L I-4	3,000	a, e
Frontier	3.3L V-6	2,000	b, e
Frontier 4WD	3.3L V-6 SC	5,000	b, d, e
Murano FWD, AWD	3.5L V-6	3,500	
Pathfinder	3.5L V-6	5,000	b, e
Pathfinder	3.5L V-6	3,500	a, e
Pathfinder Armada	5.6L V-8	6,300	d
Pathfinder Armada	5.6L V-8	9,100	c, e
Titan King/Crew Cab RWD/4WD	5.6L V-8	6,500	g, h
Titan King/Crew Cab RWD/4WD	5.6L V-8	9,500	c, e, h
Quest	3.5L V-6	3,500	b, e
Xterra	2.4L I-4	3,500	a, e
Xterra	3.3L V-6	5,000	b, e

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Xterra	3.3L V-6 SC	3,500	e

a = Manual Transmission; b = Automatic Transmission; c = 3.36:1 axle ratio; d = 2.937:1 axle ratio; e = With towing package; f = Requires factory wiring harness; g = Deduct 1,500 lb for manual transmission; deduct 100 lb for supercharged, crew cab & longbed models; h = For High Utility Bed option, deduct 100 lb on SE models, 200 lb on LE models

PORSCHE

Cayenne S/Turbo	4.5L V-8/4.5L V-8 TCI	7,716	
-----------------	-----------------------	-------	--

SATURN

VUEAWD	3.5L V-6	2,500	a
--------	----------	-------	---

a = With trailer brakes; 1,000 lb without.

SUBARU

Baja/Sport/Turbo	All	2,400	
Forester/Legacy Outback	All	2,400	a
Forester/Legacy Outback	All	2,000	b
Legacy Outback Wagon	All	2,400	

a = Manual transmission; b = Automatic Transmission

TOYOTA

4Runner RWD/AWD	3.4L V-6	5,000	
4Runner RWD	4.7L V-8	7,300	
4Runner 4WD	4.7L V-8	7,000	
Camry/Avalon	All	2,000	
Land Cruiser	4.7L V-8	6,500	
Sienna	3.3L V-6	3,500	a
Tacoma	All I-4	3,500	
Tacoma	3.4L V-6	5,000	b
Sequoia RWD	4.7L V-8	6,500	
Sequoia 4WD	4.7L V-8	6,200	
Highlander	All	2,500	
Tundra Reg Cab RWD	3.4L V-6	5,000	
Tundra Access Cab RWD/4WD	3.4L V-6	4,800	
Tundra Reg Cab 4WD	4.7L V-8	7,200	a
Tundra Access Cab RWD/4WD	4.7L V-8	7,100/6,900	a
Tundra Double Cab RWD/4WD	4.7L V-8	6,800/6,500	a

a = Towing package required; b = With towing package; 3,500 lb without.

VOLKSWAGEN

Eurovan	2.8L V-6	4,400	a
Touareg	All	7,716	b

a = Deduct 2,200 for unbraked trailers; b = Trailer brakes required.

VOLVO

XC70 Cross Country	2.5L I-5 TCI	3,300	
XC90 AWD	All	4,960	
XC90 RWD	All	3,970	
S40/V40	1.9L I-4 TCI	2,000	
S60 RV70 R	2.5L I-5 TCI	3,300	

TL